

## Supplementary data related to the article

Vápenka, L. – Vavrouš, A. – Votavová, L. – Kejlová, K. – Dobiáš, J. – Sosnovcová, J.  
**Contaminants in the paper-based food packaging materials used in the Czech Republic**  
published in Journal of Food and Nutrition Research, 55, 2016, No. 4.

### Samples specification

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
1	Paper packaging material - semi-finished product (unspecified use)	0 max. 10	No	200
2	Paper packaging material - semi-finished product (unspecified use)	0 max. 10	No	200
3	Paper packaging material - semi-finished product (unspecified use)	50	No	140
4	Paper packaging material - semi-finished product (unspecified use)	0 max. 20	No	135
5	Paper packaging material - semi-finished product (unspecified use)	0 max. 10	No	135
6	Paper packaging material - semi-finished product (unspecified use)	0 max. 10	No	136
7	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	140
8	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	180
9	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	140
10	Paper packaging material - semi-finished product (unspecified use)	0 (max. 10)	No	180
11	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	175
12	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	175
13	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	140
14	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	140

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
15	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	140
16	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	125
17	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	125
18	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	125
19	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	125
20	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	100
21	Paper packaging material - semi-finished product (unspecified use)	100 (min. 90)	No	100
22	Paper packaging material - semi-finished product (unspecified use)	100	No	100
23	Paper packaging material - semi-finished product (unspecified use)	100	No	100
24	Paper packaging material - semi-finished product (unspecified use)	100	No	100
25	Paper packaging material - semi-finished product (unspecified use)	100	No	125
26	Paper packaging material - semi-finished product (unspecified use)	100	No	125
27	Paper packaging material - semi-finished product (unspecified use)	100	No	125
28	Paper packaging material - semi-finished product (unspecified use)	100	No	125
29	Paper packaging material - semi-finished product (unspecified use)	100	No	125
30	Paper packaging material - semi-finished product (unspecified use)	100	No	170

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
31	Paper packaging material - semi-finished product (unspecified use)	100	No	170
32	Paper packaging material - semi-finished product (unspecified use)	100	No	170
33	Paper packaging material - semi-finished product (unspecified use)	100	No	145
34	Paper packaging material - semi-finished product (unspecified use)	0	No	145
35	Paper packaging material - semi-finished product (unspecified use)	0	No	145
36	Paper packaging material - semi-finished product (unspecified use)	0	No	170
37	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	100	No	125
38	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	0	No	125
39	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	0	No	80
40	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	100	No	85
41	Paper packaging material - semi-finished product (unspecified use)	100	No	85
42	Paper packaging material - semi-finished product (unspecified use)	100	No	125
43	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	180
44	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	180
45	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
46	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
47	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
48	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	No	100
49	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
50	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
51	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	No	125
52	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	No	125
53	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
54	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
55	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	Not specified	No	125
56	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
57	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	No	125
58	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
59	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
60	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
61	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	125
62	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
63	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
64	Baking paper	Not specified	No	70
65	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
66	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
67	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
68	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
69	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
70	Paper packaging material - semi-finished product (unspecified use)	Not specified	No	100
71	Bottom of paper box (unspecified use)	Not specified	No	150
72	Bottom of paper box (unspecified use)	Not specified	No	150
73	Top of paper box (unspecified use)	Not specified	Yes	130
74	Top of paper box (unspecified use)	Not specified	Yes	130
75	Bottom of paper box (unspecified use)	Not specified	No	180
76	Oil proof paper packaging material (unspecified use)	Not specified	No	160
77	Baking paper	Not specified	No	70
78	Bottom of paper box (unspecified use)	Not specified	No	180

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
79	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	Yes	180
80	Paper box (unspecified use)	Not specified	No	160
81	Paper packaging material with polyethylene coating - paper cup	Not specified	Yes	160
82	Paper packaging material with polyethylene coating - paper cup	Not specified	Yes	160
83	Paper box (unspecified use)	Not specified	No	150
84	Paper box (unspecified use)	Not specified	No	150
85	Paper box (unspecified use)	Not specified	No	140
86	Paper box (unspecified use)	Not specified	No	190
87	Paper packaging material with polyethylene coating - semi-finished product (unspecified use)	Not specified	Yes	90
88	Baking paper	Not specified	No	60
89	Baking paper	Not specified	No	70
90	Baking paper	Not specified	No	65
91	Paper packaging material for food (Fast food)	Not specified	No	80
92	Paper packaging material for food (Cafeterias)	Not specified	Yes	85
93	Paper packaging material with polyethylene coating - paper cup	Not specified	Yes	150
94	Paper packaging material with polyethylene coating - paper cup	Not specified	Yes	155

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
95	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	Not specified	Yes	135
96	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	Not specified	Yes	180
97	Oil proof paper packaging material (unspecified use)	Not specified	No	125
98	Oil proof paper packaging material (unspecified use)	Not specified	No	125
99	Oil proof paper packaging material (unspecified use)	Not specified	No	130
100	Baking paper	Not specified	No	80
101	Paper packaging material for bakery products	Not specified	No	60
102	Oil proof paper packaging material (unspecified use)	Not specified	No	85
103	Paper packaging material for bakery products	Not specified	No	80
104	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	Not specified	Yes	95
105	Paper packaging material with polypropylene coating - semi-finished product (unspecified use)	Not specified	Yes	90
106	Paper packaging material for flour	Not specified	Yes	80
107	Paper packaging material for flour	Not specified	Yes	80
108	Paper food tray	Not specified	No	130
109	Paper box for pizza	Not specified	No	200
110	Paper box for pizza	Not specified	Yes	200

Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
111	Oil proof paper packaging material (unspecified use)	Not specified	No	100
112	Oil proof paper packaging material (unspecified use)	Not specified	No	100
113	Paper packaging material for box of chocolates	Not specified	Yes	100
114	Paper packaging material for box of chocolates	Not specified	Yes	100
115	Paper packaging material for box of chocolates	Not specified	Yes	100
116	Paper packaging material for sugar	Not specified	Yes	80
117	Paper packaging material for sugar	Not specified	Yes	80
118	Paper packaging material for sugar	Not specified	Yes	90
119	Paper packaging material for sugar	Not specified	Yes	90
120	Baking paper	Not specified	No	75
121	Paper food tray	Not specified	Yes	180
122	Paper food tray	Not specified	Yes	150
123	Paper packaging material for flour	Not specified	Yes	80
124	Baking paper	Not specified	No	65
125	Paper packaging material for flour	Not specified	Yes	70
126	Baking paper	Not specified	Yes	60



Sample ID	Matrix	Content of recycled pulp [%]	Printed surface	Grammage [g·m <sup>-2</sup> ]
127	Paper packaging material for bakery products	Not specified	Yes	100
128	Oil proof paper packaging material (unspecified use)	Not specified	Yes	135
129	Baking paper	Not specified	No	60
130	Oil proof paper packaging material (unspecified use)	Not specified	Yes	150
131	Oil proof paper packaging material (unspecified use)	Not specified	No	150
132	Baking paper	Not specified	No	55

## Contents

Sample ID	Analyte	Value	Units	Uncertainty (± %)
1	Anthraquinone	13.282	mg/kg	0.8
	Bisphenol A	4.200	mg/kg	5.1
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.083	mg/kg	6.0
	2-Isopropylthioxanthone	0.186	mg/kg	0.5
	4-Isopropylthioxanthone	0.030	mg/kg	1.1
	4-Methylbenzophenone	0.167	mg/kg	0.9
	Benzophenone	1.249	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.028	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.009	mg/kg	0.9
	Dibutyl phthalate	0.948	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.336	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	3.652	mg/kg	5.4
	Diethyl phthalate	0.188	mg/kg	0.9
	Diheptyl phthalate	0.008	mg/kg	2.1
	Diisobutyl phthalate	2.945	mg/kg	3.4
	Diisodecyl phthalate	1.829	mg/kg	7.3
	Diisononyl phthalate	3.737	mg/kg	8.4
	Dimethyl phthalate	0.144	mg/kg	1.3
	Dioctyl phthalate	0.142	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.7
	1-Methylfluorene	0.039	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.239	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.161	mg/kg	1.8
	2-Methylantracene	0.041	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	0.047	mg/kg	0.7
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.055	mg/kg	0.6
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.2
	Benzo(ghi)perylene	0.020	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.6
	Fluoranthene	0.043	mg/kg	0.6
	Chrysene	0.026	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.122	mg/kg	0.7
	Pyrene	0.039	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
2	Anthraquinone	7.512	mg/kg	0.6
	Bisphenol A	4.976	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.550	mg/kg	8.0
	2-Isopropylthioxanthone	0.144	mg/kg	0.9
	4-Isopropylthioxanthone	0.037	mg/kg	1.0
	4-Methylbenzophenone	0.360	mg/kg	0.5
	Benzophenone	1.424	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.044	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.016	mg/kg	1.4
	Dibutyl phthalate	1.291	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.512	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	4.839	mg/kg	4.5
	Diethyl phthalate	0.982	mg/kg	1.0
	Diheptyl phthalate	0.012	mg/kg	1.4
	Diisobutyl phthalate	1.418	mg/kg	2.1
	Diisodecyl phthalate	1.694	mg/kg	9.2
	Diisononyl phthalate	4.570	mg/kg	7.2
	Dimethyl phthalate	0.106	mg/kg	1.5
	Dioctyl phthalate	0.179	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.008	mg/kg	1.9
	1-Methylfluorene	0.104	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	0.545	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.006	mg/kg	2.0
	2,7-Diisopropylnaphtalene	0.407	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.005	mg/kg	1.9
	9-Methylantracene	0.148	mg/kg	0.9
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.058	mg/kg	0.6
	Benzo(a)anthracene	0.007	mg/kg	0.5
	Benzo(a)pyrene	0.005	mg/kg	1.1
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.017	mg/kg	5.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.016	mg/kg	0.7
	Fluoranthene	0.031	mg/kg	0.9
	Chrysene	0.019	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.117	mg/kg	0.9
	Pyrene	0.034	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	5.6
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.498	mg/kg	0.6
	Bisphenol A	3.686	mg/kg	5.1
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.100	mg/kg	6.0
	2-Isopropylthioxanthone	0.218	mg/kg	0.9
	4-Isopropylthioxanthone	0.037	mg/kg	1.0
	4-Methylbenzophenone	0.304	mg/kg	0.8
	Benzophenone	1.260	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.027	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.017	mg/kg	1.4
	Dibutyl phthalate	1.070	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.652	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	26.146	mg/kg	3.4
	Diethyl phtalate	0.200	mg/kg	0.9
	Diheptyl phthalate	0.011	mg/kg	1.9
	Diisobutyl phtalate	6.473	mg/kg	2.1
	Diisodecyl phthalate	2.101	mg/kg	8.3
	Diisononyl phthalate	4.082	mg/kg	8.0
	Dimethyl phthalate	0.229	mg/kg	1.6
	Dioctyl phthalate	0.168	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.005	mg/kg	1.0
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.9
	1-Methylfluorene	0.143	mg/kg	1.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
3	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	0.814	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.009	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.574	mg/kg	1.8
	2-Methylantracene	0.061	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	0.035	mg/kg	1.0
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.041	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.011	mg/kg	1.2
	Benzo(ghi)perylene	0.022	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.014	mg/kg	0.8
	Fluoranthene	0.048	mg/kg	0.7
	Chrysene	0.028	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.158	mg/kg	0.8
	Pyrene	0.049	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.011	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.004	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.131	mg/kg	0.8
	Bisphenol A	5.309	mg/kg	5.1
	Bisphenol F	0.072	mg/kg	12.0
	Bisphenol S	0.324	mg/kg	10.3
	2-Isopropylthioxanthone	0.191	mg/kg	0.9
	4-Isopropylthioxanthone	0.041	mg/kg	0.8
	4-Methylbenzophenone	0.048	mg/kg	0.7
	Benzophenone	0.150	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.020	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.023	mg/kg	1.4
	Dibutyl phthalate	0.959	mg/kg	2.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
4	Bis(2-ethylhexyl) adipate	0.546	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	0.475	mg/kg	5.0
	Diethyl phthalate	0.168	mg/kg	0.9
	Diheptyl phthalate	0.013	mg/kg	2.2
	Diisobutyl phthalate	0.966	mg/kg	3.1
	Diisodecyl phthalate	1.368	mg/kg	9.6
	Diisononyl phthalate	2.223	mg/kg	7.2
	Dimethyl phthalate	0.083	mg/kg	1.6
	Dioctyl phthalate	0.106	mg/kg	4.1
	Dipentyl phthalate	0.006	mg/kg	1.2
	1,2-Dimethylnaphthalene	0.005	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.004	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.008	mg/kg	1.5
	1-Methylfluorene	0.021	mg/kg	0.8
	1-Methylnaphthalene	0.008	mg/kg	1.8
	2,6-Diisopropylnaphthalene	0.089	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.006	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.077	mg/kg	1.8
	2-Methylantracene	0.021	mg/kg	0.7
	2-Methylnaphthalene	0.008	mg/kg	2.4
	9-Methylantracene	0.038	mg/kg	0.6
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.005	mg/kg	1.7
	Anthracene	0.013	mg/kg	0.7
	Benzo(a)anthracene	0.007	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.019	mg/kg	7.5
	Benzo(k)fluoranthene	0.007	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.7
	Fluoranthene	0.019	mg/kg	0.9
	Chrysene	0.015	mg/kg	1.3
	Indeno(123-cd)pyrene	0.009	mg/kg	7.6
	Naphthalene	0.030	mg/kg	3.1
	Phenanthrene	0.052	mg/kg	0.8
	Pyrene	0.023	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.010	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.142	mg/kg	7.0
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.019	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.106	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.007	mg/kg	4.3
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.035	mg/kg	5.1
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	3.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
5	Anthraquinone	0.015	mg/kg	0.5
	Bisphenol A	0.052	mg/kg	5.8
	Bisphenol F	0.039	mg/kg	10.5
	Bisphenol S	0.003	mg/kg	10.0
	2-Isopropylthioxanthone	0.005	mg/kg	0.8
	4-Isopropylthioxanthone	0.013	mg/kg	1.1
	4-Methylbenzophenone	0.006	mg/kg	0.8
	Benzophenone	0.015	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.003	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.002	mg/kg	1.4
	Dibutyl phthalate	0.124	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.133	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	0.079	mg/kg	5.6
	Diethyl phthalate	0.024	mg/kg	0.9
	Diheptyl phthalate	0.001	mg/kg	1.4
	Diisobutyl phthalate	0.077	mg/kg	3.6
	Diisodecyl phthalate	0.102	mg/kg	9.6
	Diisononyl phthalate	0.141	mg/kg	7.2
	Dimethyl phthalate	0.005	mg/kg	1.6
	Dioctyl phthalate	0.006	mg/kg	4.9
	Dipentyl phthalate	0.003	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.003	mg/kg	1.0
	1,4-Dimethylnaphthalene	0.002	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.003	mg/kg	1.8
	1-Methylfluorene	0.002	mg/kg	0.8
	1-Methylnaphthalene	0.004	mg/kg	2.0
	2,6-Diisopropylnaphthalene	0.008	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.002	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.007	mg/kg	1.6
	2-Methylantracene	0.004	mg/kg	0.7
	2-Methylnaphthalene	0.005	mg/kg	1.9
	9-Methylantracene	0.030	mg/kg	0.9
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.002	mg/kg	1.4
	Anthracene	0.003	mg/kg	0.7
	Benzo(a)anthracene	0.002	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.003	mg/kg	1.2
	Benzo(ghi)perylene	0.007	mg/kg	7.3
	Benzo(k)fluoranthene	0.003	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.004	mg/kg	0.8
	Fluoranthene	0.002	mg/kg	0.6
	Chrysene	0.003	mg/kg	1.3
	Indeno(123-cd)pyrene	0.004	mg/kg	7.4
	Naphthalene	0.013	mg/kg	2.3
	Phenanthrene	0.004	mg/kg	0.9
	Pyrene	0.004	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.004	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.123	mg/kg	7.4
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.013	mg/kg	4.1

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.072	mg/kg	3.8
	Perfluorooctylsulfonamide	0.004	mg/kg	5.1
	Perfluorobutanoic acid	0.005	mg/kg	4.4
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	0.026	mg/kg	6.8
	Perfluorododecanoic acid	0.014	mg/kg	5.5
	Perfluorodecanephosphonic acid	0.023	mg/kg	4.5
	Perfluoroheptanoic acid	0.007	mg/kg	7.2
	Perfluorohexanoic acid	0.001	mg/kg	4.9
	Perfluorohexanephosphonic acid	0.014	mg/kg	8.2
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	0.036	mg/kg	4.9
	Perfluorooctanoic acid	0.006	mg/kg	7.0
	Perfluorooctanephosphonic acid	0.017	mg/kg	3.8
	Perfluorooctanesulphonic acid	0.007	mg/kg	8.7
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	0.022	mg/kg	3.3
6	Anthraquinone	26.484	mg/kg	0.8
	Bisphenol A	0.062	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.006	mg/kg	9.0
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.012	mg/kg	0.8
	Benzophenone	0.258	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.003	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.306	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.101	mg/kg	3.4
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.254	mg/kg	3.4
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.005	mg/kg	1.5
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.009	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.038	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.003	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.032	mg/kg	1.6
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	0.052	mg/kg	0.6
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.002	mg/kg	1.6
	Anthracene	0.037	mg/kg	0.7
	Benzo(a)anthracene	0.004	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.009	mg/kg	1.0
	Chrysene	0.011	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.042	mg/kg	0.9
	Pyrene	0.008	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.101	mg/kg	3.7
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.046	mg/kg	6.0
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	0.030	mg/kg	7.5
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.747	mg/kg	0.7
	Bisphenol A	8.503	mg/kg	6.4
	Bisphenol F	0.095	mg/kg	11.7
	Bisphenol S	0.685	mg/kg	8.0
	2-Isopropylthioxanthone	0.291	mg/kg	0.8
	4-Isopropylthioxanthone	0.070	mg/kg	1.1
	4-Methylbenzophenone	0.908	mg/kg	0.8
	Benzophenone	1.890	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.083	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.042	mg/kg	1.3
	Dibutyl phthalate	1.955	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.781	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	5.269	mg/kg	5.0
	Diethyl phtalate	0.249	mg/kg	0.7
	Diheptyl phthalate	0.017	mg/kg	2.3
	Diisobutyl phtalate	2.153	mg/kg	3.1
	Diisodecyl phthalate	1.884	mg/kg	5.5
	Diisononyl phthalate	4.619	mg/kg	8.4
	Dimethyl phthalate	0.077	mg/kg	1.5
	Dioctyl phthalate	0.174	mg/kg	4.9
	Dipentyl phthalate	0.005	mg/kg	0.8
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
7	1,6-Dimethylnaphthalene	0.012	mg/kg	1.5
	1-Methylfluorene	0.235	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.005	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.716	mg/kg	1.6
	2-Methylantracene	0.055	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.4
	Benzo(a)anthracene	0.007	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.005	mg/kg	0.7
	Benzo(ghi)perylene	0.022	mg/kg	6.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.021	mg/kg	0.5
	Fluoranthene	0.027	mg/kg	0.9
	Chrysene	0.018	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.119	mg/kg	0.7
	Pyrene	0.049	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.011	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.152	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.473	mg/kg	0.7
	Bisphenol A	7.377	mg/kg	5.1
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.485	mg/kg	8.0
	2-Isopropylthioxanthone	1.038	mg/kg	0.5
	4-Isopropylthioxanthone	0.105	mg/kg	0.6
	4-Methylbenzophenone	1.193	mg/kg	0.8
	Benzophenone	2.879	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.329	mg/kg	1.2

Sample ID	Analyte	Value	Units	Uncertainty (± %)
8	2-Ethylhexyl-4-dimethylamino benzoate	0.030	mg/kg	1.1
	Dibutyl phthalate	2.034	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.775	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	6.289	mg/kg	3.4
	Diethyl phthalate	0.329	mg/kg	0.9
	Diheptyl phthalate	0.012	mg/kg	2.5
	Diisobutyl phthalate	2.116	mg/kg	2.1
	Diisodecyl phthalate	1.886	mg/kg	9.2
	Diisononyl phthalate	6.311	mg/kg	8.4
	Dimethyl phthalate	0.166	mg/kg	1.6
	Dioctyl phthalate	0.272	mg/kg	5.3
	Dipentyl phthalate	0.018	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.1
	1-Methylfluorene	0.126	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.690	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.006	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.479	mg/kg	1.8
	2-Methylantracene	0.052	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.012	mg/kg	0.7
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	0.007	mg/kg	1.6
	Benzo(b)fluoranthene	0.008	mg/kg	1.1
	Benzo(ghi)perylene	0.020	mg/kg	6.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.016	mg/kg	0.7
	Fluoranthene	0.042	mg/kg	0.6
	Chrysene	0.022	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.140	mg/kg	0.9
	Pyrene	0.049	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
9	Anthraquinone	2.826	mg/kg	0.7
	Bisphenol A	5.491	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.334	mg/kg	8.0
	2-Isopropylthioxanthone	1.464	mg/kg	0.5
	4-Isopropylthioxanthone	0.041	mg/kg	1.0
	4-Methylbenzophenone	1.484	mg/kg	0.8
	Benzophenone	2.503	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.386	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.025	mg/kg	1.4
	Dibutyl phthalate	2.601	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.580	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	7.585	mg/kg	5.6
	Diethyl phthalate	0.280	mg/kg	0.7
	Diheptyl phthalate	0.012	mg/kg	1.9
	Diisobutyl phthalate	3.633	mg/kg	3.6
	Diisodecyl phthalate	1.728	mg/kg	7.3
	Diisononyl phthalate	3.730	mg/kg	8.0
	Dimethyl phthalate	0.082	mg/kg	1.0
	Dioctyl phthalate	0.156	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.7
	1-Methylfluorene	0.122	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.867	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.006	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.616	mg/kg	1.8
	2-Methylantracene	0.039	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.006	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.006	mg/kg	1.2
	Benzo(ghi)perylene	0.015	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.010	mg/kg	0.8
	Fluoranthene	0.025	mg/kg	0.9
	Chrysene	0.017	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.074	mg/kg	0.9
	Pyrene	0.034	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.009	mg/kg	5.2

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
10	Anthraquinone	12.466	mg/kg	0.8
	Bisphenol A	0.338	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.016	mg/kg	10.3
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.145	mg/kg	0.5
	Benzophenone	0.356	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.005	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.007	mg/kg	0.9
	Dibutyl phthalate	0.851	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.636	mg/kg	5.4
	Diethyl phthalate	0.054	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.270	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	0.197	mg/kg	8.2
	Dimethyl phthalate	0.032	mg/kg	1.0
	Dioctyl phthalate	0.006	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.005	mg/kg	1.8
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.004	mg/kg	1.8
	1-Methylfluorene	0.019	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.091	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.004	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.074	mg/kg	1.4
	2-Methylantracene	0.015	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	0.030	mg/kg	1.0
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.004	mg/kg	0.8
	Fluoranthene	0.013	mg/kg	1.0
	Chrysene	0.003	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.042	mg/kg	0.7
	Pyrene	0.014	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.028	mg/kg	6.0
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	0.018	mg/kg	4.7
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.823	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.709	mg/kg	8.0
	2-Isopropylthioxanthone	0.376	mg/kg	0.9
	4-Isopropylthioxanthone	0.078	mg/kg	0.8
	4-Methylbenzophenone	0.694	mg/kg	0.5
	Benzophenone	2.129	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.076	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.044	mg/kg	1.5
	Dibutyl phthalate	2.211	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.917	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	16.444	mg/kg	5.0
	Diethyl phthalate	0.475	mg/kg	0.8
	Diheptyl phthalate	0.022	mg/kg	2.2
	Diisobutyl phthalate	11.421	mg/kg	3.1
	Diisodecyl phthalate	5.822	mg/kg	9.6
	Diisononyl phthalate	18.051	mg/kg	6.4
	Dimethyl phthalate	1.052	mg/kg	1.3
	Dioctyl phthalate	0.388	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
11	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.006	mg/kg	1.9
	1-Methylfluorene	0.158	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.988	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.004	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.682	mg/kg	1.4
	2-Methylantracene	0.060	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.6
	Benzo(a)anthracene	0.025	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.024	mg/kg	1.2
	Benzo(ghi)perylene	0.039	mg/kg	5.8
	Benzo(k)fluoranthene	0.011	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.015	mg/kg	0.8
	Fluoranthene	0.084	mg/kg	0.9
	Chrysene	0.048	mg/kg	0.8
	Indeno(123-cd)pyrene	0.019	mg/kg	4.5
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.134	mg/kg	0.9
	Pyrene	0.083	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.144	mg/kg	3.1
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.043	mg/kg	5.4
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.024	mg/kg	0.7
	Bisphenol A	10.809	mg/kg	5.1
	Bisphenol F	0.116	mg/kg	7.0
	Bisphenol S	1.425	mg/kg	10.5
	2-Isopropylthioxanthone	0.398	mg/kg	0.8
	4-Isopropylthioxanthone	0.096	mg/kg	1.0
	4-Methylbenzophenone	0.517	mg/kg	0.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
12	Benzophenone	2.380	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.097	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.033	mg/kg	1.3
	Dibutyl phthalate	4.292	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.446	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	16.711	mg/kg	5.7
	Diethyl phthalate	0.870	mg/kg	0.6
	Diheptyl phthalate	0.024	mg/kg	1.9
	Diisobutyl phthalate	6.628	mg/kg	2.7
	Diisodecyl phthalate	2.508	mg/kg	9.6
	Diisononyl phthalate	8.579	mg/kg	8.2
	Dimethyl phthalate	0.285	mg/kg	1.0
	Dioctyl phthalate	0.272	mg/kg	4.9
	Dipentyl phthalate	0.013	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.1
	1-Methylfluorene	0.223	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.612	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.007	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.231	mg/kg	1.7
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.011	mg/kg	0.6
	Benzo(a)anthracene	0.013	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.016	mg/kg	1.2
	Benzo(ghi)perylene	0.037	mg/kg	6.5
	Benzo(k)fluoranthene	0.007	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.018	mg/kg	0.7
	Fluoranthene	0.048	mg/kg	0.9
	Chrysene	0.034	mg/kg	1.2
	Indeno(123-cd)pyrene	0.009	mg/kg	7.8
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.138	mg/kg	0.8
	Pyrene	0.064	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	3.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
13	Anthraquinone	1.297	mg/kg	0.8
	Bisphenol A	9.240	mg/kg	5.8
	Bisphenol F	0.117	mg/kg	10.5
	Bisphenol S	0.568	mg/kg	6.0
	2-Isopropylthioxanthone	0.393	mg/kg	0.9
	4-Isopropylthioxanthone	0.073	mg/kg	0.6
	4-Methylbenzophenone	0.409	mg/kg	0.9
	Benzophenone	1.614	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.116	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.052	mg/kg	1.3
	Dibutyl phthalate	1.826	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.867	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	15.063	mg/kg	4.5
	Diethyl phthalate	0.650	mg/kg	0.8
	Diheptyl phthalate	0.022	mg/kg	2.1
	Diisobutyl phthalate	9.197	mg/kg	2.1
	Diisodecyl phthalate	4.100	mg/kg	8.3
	Diisononyl phthalate	11.012	mg/kg	7.7
	Dimethyl phthalate	0.176	mg/kg	1.4
	Dioctyl phthalate	0.307	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.008	mg/kg	1.9
	1-Methylfluorene	0.145	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.070	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.005	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.811	mg/kg	1.8
	2-Methylantracene	0.065	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.009	mg/kg	1.2
	Benzo(ghi)perylene	0.027	mg/kg	4.4
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.019	mg/kg	0.8
	Fluoranthene	0.044	mg/kg	0.8
	Chrysene	0.028	mg/kg	1.0
	Indeno(123-cd)pyrene	0.007	mg/kg	7.6
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.132	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Pyrene	0.058	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.094	mg/kg	3.8
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.069	mg/kg	0.8
	Bisphenol A	9.878	mg/kg	6.6
	Bisphenol F	0.080	mg/kg	7.0
	Bisphenol S	0.628	mg/kg	10.0
	2-Isopropylthioxanthone	0.501	mg/kg	0.7
	4-Isopropylthioxanthone	0.103	mg/kg	1.1
	4-Methylbenzophenone	0.440	mg/kg	0.8
	Benzophenone	1.867	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.113	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.051	mg/kg	1.4
	Dibutyl phthalate	4.060	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.920	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	12.495	mg/kg	5.9
	Diethyl phthalate	0.884	mg/kg	0.8
	Diheptyl phthalate	0.030	mg/kg	2.1
	Diisobutyl phthalate	7.616	mg/kg	3.1
	Diisodecyl phthalate	4.191	mg/kg	7.3
	Diisononyl phthalate	10.950	mg/kg	4.8
	Dimethyl phthalate	0.209	mg/kg	1.3
	Dioctyl phthalate	0.288	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.003	mg/kg	1.8
	1,4-Dimethylnaphthalene	0.003	mg/kg	1.3
	1,6-Dimethylnaphthalene	0.014	mg/kg	1.9
	1-Methylfluorene	0.166	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.323	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.009	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.903	mg/kg	1.1
	2-Methylantracene	0.073	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
14	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.7
	Benzo(a)anthracene	0.014	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.017	mg/kg	1.2
	Benzo(ghi)perylene	0.033	mg/kg	7.6
	Benzo(k)fluoranthene	0.007	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.023	mg/kg	0.8
	Fluoranthene	0.053	mg/kg	0.9
	Chrysene	0.042	mg/kg	1.1
	Indeno(123-cd)pyrene	0.009	mg/kg	7.1
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.147	mg/kg	0.9
	Pyrene	0.070	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.425	mg/kg	0.8
	Bisphenol A	10.503	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.714	mg/kg	6.0
	2-Isopropylthioxanthone	0.973	mg/kg	0.5
	4-Isopropylthioxanthone	0.077	mg/kg	1.0
	4-Methylbenzophenone	0.461	mg/kg	0.8
	Benzophenone	2.671	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.192	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.185	mg/kg	1.5
	Dibutyl phthalate	1.912	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.796	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	10.503	mg/kg	5.9
	Diethyl phthalate	0.955	mg/kg	0.6
	Diheptyl phthalate	0.023	mg/kg	2.4
	Diisobutyl phthalate	11.410	mg/kg	3.5
	Diisodecyl phthalate	4.311	mg/kg	8.3
	Diisononyl phthalate	14.663	mg/kg	8.2
	Dimethyl phthalate	0.251	mg/kg	1.3

Sample ID	Analyte	Value	Units	Uncertainty (± %)
15	Dioctyl phthalate	0.311	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.003	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.7
	1-Methylfluorene	0.147	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.861	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.633	mg/kg	1.6
	2-Methylantracene	0.073	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.6
	Benzo(a)anthracene	0.012	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.011	mg/kg	1.1
	Benzo(ghi)perylene	0.025	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.019	mg/kg	0.8
	Fluoranthene	0.056	mg/kg	0.6
	Chrysene	0.034	mg/kg	1.1
	Indeno(123-cd)pyrene	0.008	mg/kg	4.5
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.152	mg/kg	0.7
	Pyrene	0.060	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.055	mg/kg	0.5
	Bisphenol A	12.461	mg/kg	5.1
	Bisphenol F	0.140	mg/kg	11.7
	Bisphenol S	0.679	mg/kg	9.6
	2-Isopropylthioxanthone	0.476	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
16	4-Isopropylthioxanthone	0.082	mg/kg	0.8
	4-Methylbenzophenone	0.649	mg/kg	0.5
	Benzophenone	< LOQ	mg/kg	-
	Ethyl-4-dimethylamino benzoate	0.077	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.034	mg/kg	1.3
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	1.025	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.448	mg/kg	0.9
	Diheptyl phthalate	0.026	mg/kg	2.5
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.344	mg/kg	1.3
	Dioctyl phthalate	0.423	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.004	mg/kg	1.9
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.9
	1-Methylfluorene	0.384	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	2.022	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.2
	2,7-Diisopropylnaphthalene	1.584	mg/kg	1.8
	2-Methylantracene	0.069	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.7
	Benzo(a)anthracene	0.018	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.023	mg/kg	1.2
	Benzo(ghi)perylene	0.038	mg/kg	7.3
	Benzo(k)fluoranthene	0.010	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.022	mg/kg	0.8
	Fluoranthene	0.070	mg/kg	0.7
	Chrysene	0.047	mg/kg	0.8
	Indeno(123-cd)pyrene	0.012	mg/kg	7.1
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.151	mg/kg	0.7
	Pyrene	0.077	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanoic acid	0.003	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
17	Anthraquinone	1.166	mg/kg	0.7
	Bisphenol A	11.796	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	1.007	mg/kg	9.0
	2-Isopropylthioxanthone	0.332	mg/kg	0.9
	4-Isopropylthioxanthone	0.084	mg/kg	1.0
	4-Methylbenzophenone	0.549	mg/kg	0.8
	Benzophenone	1.569	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.112	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.056	mg/kg	1.3
	Dibutyl phthalate	3.784	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	1.772	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	15.276	mg/kg	5.9
	Diethyl phthalate	1.003	mg/kg	0.9
	Diheptyl phthalate	0.030	mg/kg	2.3
	Diisobutyl phthalate	6.751	mg/kg	3.1
	Diisodecyl phthalate	3.620	mg/kg	7.3
	Diisononyl phthalate	9.992	mg/kg	6.4
	Dimethyl phthalate	0.318	mg/kg	1.7
	Dioctyl phthalate	0.336	mg/kg	4.9
	Dipentyl phthalate	0.016	mg/kg	1.2
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.004	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.015	mg/kg	1.9
	1-Methylfluorene	0.277	mg/kg	0.6
	1-Methylnaphthalene	0.008	mg/kg	1.6
	2,6-Diisopropylnaphthalene	1.750	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.010	mg/kg	1.7
	2,7-Diisopropylnaphthalene	1.374	mg/kg	1.1
	2-Methylantracene	0.077	mg/kg	0.5
	2-Methylnaphthalene	0.008	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.017	mg/kg	0.6
	Benzo(a)anthracene	0.017	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.017	mg/kg	1.2
	Benzo(ghi)perylene	0.043	mg/kg	7.5
	Benzo(k)fluoranthene	0.008	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.026	mg/kg	0.8
	Fluoranthene	0.065	mg/kg	0.9
	Chrysene	0.040	mg/kg	1.3
	Indeno(123-cd)pyrene	0.013	mg/kg	7.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Naphtalene	0.034	mg/kg	2.6
	Phenanthrene	0.175	mg/kg	0.9
	Pyrene	0.080	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	2.073	mg/kg	0.8
	Bisphenol A	10.420	mg/kg	6.7
	Bisphenol F	0.056	mg/kg	7.0
	Bisphenol S	0.910	mg/kg	9.0
	2-Isopropylthioxanthone	0.263	mg/kg	0.8
	4-Isopropylthioxanthone	0.056	mg/kg	1.0
	4-Methylbenzophenone	0.442	mg/kg	0.8
	Benzophenone	2.316	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.086	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.039	mg/kg	1.4
	Dibutyl phthalate	1.975	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.730	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	9.668	mg/kg	5.9
	Diethyl phtalate	1.564	mg/kg	1.0
	Diheptyl phthalate	0.029	mg/kg	1.9
	Diisobutyl phtalate	1.878	mg/kg	3.1
	Diisodecyl phthalate	7.585	mg/kg	5.5
	Diisononyl phthalate	25.027	mg/kg	6.4
	Dimethyl phthalate	0.266	mg/kg	1.4
	Dioctyl phthalate	0.643	mg/kg	4.6
	Dipentyl phthalate	0.007	mg/kg	0.8
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.011	mg/kg	1.9
	1-Methylfluorene	0.124	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.999	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.689	mg/kg	1.6
	2-Methylantracene	0.065	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
18	9-Methylanthracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.7
	Benzo(a)anthracene	0.014	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.013	mg/kg	0.9
	Benzo(ghi)perylene	0.021	mg/kg	7.6
	Benzo(k)fluoranthene	0.008	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.020	mg/kg	0.8
	Fluoranthene	0.056	mg/kg	0.9
	Chrysene	0.040	mg/kg	1.2
	Indeno(123-cd)pyrene	0.008	mg/kg	6.7
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.142	mg/kg	0.8
	Pyrene	0.068	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.331	mg/kg	0.8
	Bisphenol A	11.423	mg/kg	6.6
	Bisphenol F	0.160	mg/kg	9.3
	Bisphenol S	0.856	mg/kg	9.0
	2-Isopropylthioxanthone	0.371	mg/kg	0.8
	4-Isopropylthioxanthone	0.068	mg/kg	1.0
	4-Methylbenzophenone	0.494	mg/kg	0.7
	Benzophenone	2.235	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.060	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.041	mg/kg	0.9
	Dibutyl phthalate	12.325	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.597	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	31.041	mg/kg	5.9
	Diethyl phthalate	0.355	mg/kg	1.0
	Diheptyl phthalate	0.027	mg/kg	1.4
	Diisobutyl phthalate	10.693	mg/kg	3.4
	Diisodecyl phthalate	5.625	mg/kg	9.2



Sample ID	Analyte	Value	Units	Uncertainty (± %)
19	Diisononyl phthalate	21.149	mg/kg	4.8
	Dimethyl phthalate	0.252	mg/kg	1.0
	Dioctyl phthalate	0.472	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.5
	1-Methylfluorene	0.186	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.062	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.791	mg/kg	1.1
	2-Methylantracene	0.076	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.015	mg/kg	0.7
	Benzo(a)anthracene	0.015	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.015	mg/kg	1.1
	Benzo(ghi)perylene	0.033	mg/kg	6.5
	Benzo(k)fluoranthene	0.007	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.024	mg/kg	0.6
	Fluoranthene	0.075	mg/kg	0.7
	Chrysene	0.040	mg/kg	1.3
	Indeno(123-cd)pyrene	0.010	mg/kg	7.1
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.164	mg/kg	0.7
	Pyrene	0.094	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.011	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.074	mg/kg	0.7
	Bisphenol A	10.475	mg/kg	6.4
	Bisphenol F	0.078	mg/kg	10.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
20	Bisphenol S	0.828	mg/kg	6.0
	2-Isopropylthioxanthone	0.246	mg/kg	0.7
	4-Isopropylthioxanthone	0.040	mg/kg	0.9
	4-Methylbenzophenone	0.282	mg/kg	0.8
	Benzophenone	1.851	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.121	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.096	mg/kg	0.9
	Dibutyl phthalate	1.801	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	0.670	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	12.600	mg/kg	4.5
	Diethyl phthalate	0.681	mg/kg	0.9
	Diheptyl phthalate	0.024	mg/kg	1.4
	Diisobutyl phthalate	1.721	mg/kg	3.4
	Diisodecyl phthalate	4.103	mg/kg	5.5
	Diisononyl phthalate	15.612	mg/kg	8.2
	Dimethyl phthalate	0.138	mg/kg	1.5
	Dioctyl phthalate	0.232	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.9
	1-Methylfluorene	0.115	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.020	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.006	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.714	mg/kg	1.7
	2-Methylantracene	0.061	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.012	mg/kg	0.7
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.009	mg/kg	1.1
	Benzo(ghi)perylene	0.017	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.017	mg/kg	0.8
	Fluoranthene	0.042	mg/kg	0.9
	Chrysene	0.031	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.115	mg/kg	0.9
	Pyrene	0.052	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
21	Anthraquinone	1.588	mg/kg	0.8
	Bisphenol A	7.797	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.401	mg/kg	10.0
	2-Isopropylthioxanthone	0.460	mg/kg	0.7
	4-Isopropylthioxanthone	0.113	mg/kg	1.1
	4-Methylbenzophenone	0.423	mg/kg	0.8
	Benzophenone	1.813	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.055	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.052	mg/kg	1.3
	Dibutyl phthalate	3.272	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.433	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	12.748	mg/kg	3.4
	Diethyl phthalate	0.306	mg/kg	0.6
	Diheptyl phthalate	0.025	mg/kg	2.1
	Diisobutyl phthalate	12.637	mg/kg	3.6
	Diisodecyl phthalate	3.633	mg/kg	9.4
	Diisononyl phthalate	13.061	mg/kg	7.2
	Dimethyl phthalate	0.979	mg/kg	1.6
	Dioctyl phthalate	0.476	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.011	mg/kg	1.7
	1-Methylfluorene	0.210	mg/kg	1.0
	1-Methylnaphthalene	0.009	mg/kg	1.9
	2,6-Diisopropylnaphthalene	1.099	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.009	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.773	mg/kg	1.8
	2-Methylantracene	0.067	mg/kg	0.7
	2-Methylnaphthalene	0.008	mg/kg	2.3
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.012	mg/kg	0.7
	Benzo(a)anthracene	0.020	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.026	mg/kg	1.1
	Benzo(ghi)perylene	0.032	mg/kg	7.0
	Benzo(k)fluoranthene	0.011	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.018	mg/kg	0.8
	Fluoranthene	0.065	mg/kg	0.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Chrysene	0.054	mg/kg	0.8
	Indeno(123-cd)pyrene	0.011	mg/kg	4.5
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.151	mg/kg	0.8
	Pyrene	0.076	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.017	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.096	mg/kg	3.7
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.059	mg/kg	5.4
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.126	mg/kg	0.8
	Bisphenol A	9.967	mg/kg	6.2
	Bisphenol F	0.107	mg/kg	7.0
	Bisphenol S	1.714	mg/kg	9.0
	2-Isopropylthioxanthone	0.224	mg/kg	0.9
	4-Isopropylthioxanthone	0.063	mg/kg	0.8
	4-Methylbenzophenone	0.479	mg/kg	0.8
	Benzophenone	2.497	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.099	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.023	mg/kg	1.5
	Dibutyl phthalate	2.231	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.927	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	9.460	mg/kg	3.4
	Diethyl phthalate	0.527	mg/kg	0.8
	Diheptyl phthalate	0.024	mg/kg	1.9
	Diisobutyl phthalate	2.139	mg/kg	3.6
	Diisodecyl phthalate	3.817	mg/kg	9.6
	Diisononyl phthalate	11.423	mg/kg	4.8
	Dimethyl phthalate	0.288	mg/kg	1.6
	Dioctyl phthalate	0.317	mg/kg	5.3
	Dipentyl phthalate	0.006	mg/kg	1.2
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.7
	1-Methylfluorene	0.164	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.986	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.748	mg/kg	1.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
22	2-Methylantracene	0.060	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.6
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.008	mg/kg	0.7
	Benzo(ghi)perylene	0.023	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.022	mg/kg	0.8
	Fluoranthene	0.044	mg/kg	0.9
	Chrysene	0.027	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.141	mg/kg	0.7
	Pyrene	0.060	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.010	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.454	mg/kg	0.7
	Bisphenol A	15.958	mg/kg	6.2
	Bisphenol F	0.112	mg/kg	11.2
	Bisphenol S	0.444	mg/kg	8.0
	2-Isopropylthioxanthone	0.213	mg/kg	0.8
	4-Isopropylthioxanthone	0.045	mg/kg	1.1
	4-Methylbenzophenone	0.515	mg/kg	0.9
	Benzophenone	1.029	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.068	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.023	mg/kg	1.1
	Dibutyl phthalate	5.379	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.915	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	18.522	mg/kg	5.9
	Diethyl phtalate	0.616	mg/kg	0.6
	Diheptyl phthalate	0.057	mg/kg	2.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
23	Diisobutyl phthalate	7.817	mg/kg	3.4
	Diisodecyl phthalate	4.355	mg/kg	7.3
	Diisononyl phthalate	11.018	mg/kg	6.4
	Dimethyl phthalate	0.300	mg/kg	1.4
	Dioctyl phthalate	0.615	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.014	mg/kg	1.8
	1-Methylfluorene	0.489	mg/kg	1.0
	1-Methylnaphthalene	0.010	mg/kg	1.2
	2,6-Diisopropylnaphthalene	2.301	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.010	mg/kg	1.9
	2,7-Diisopropylnaphthalene	1.914	mg/kg	1.7
	2-Methylantracene	0.102	mg/kg	0.5
	2-Methylnaphthalene	0.009	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.675	mg/kg	0.7
	Benzo(a)anthracene	0.013	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.014	mg/kg	1.2
	Benzo(ghi)perylene	0.032	mg/kg	6.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.039	mg/kg	0.5
	Fluoranthene	0.077	mg/kg	1.0
	Chrysene	0.045	mg/kg	1.3
	Indeno(123-cd)pyrene	0.009	mg/kg	7.8
	Naphtalene	0.037	mg/kg	2.6
	Phenanthrene	0.394	mg/kg	0.9
	Pyrene	0.075	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.005	mg/kg	5.4
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	2.639	mg/kg	0.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
24	Bisphenol A	9.614	mg/kg	6.6
	Bisphenol F	0.074	mg/kg	12.3
	Bisphenol S	0.409	mg/kg	6.0
	2-Isopropylthioxanthone	0.303	mg/kg	0.9
	4-Isopropylthioxanthone	0.066	mg/kg	0.8
	4-Methylbenzophenone	0.441	mg/kg	0.8
	Benzophenone	2.494	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.089	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.039	mg/kg	1.5
	Dibutyl phthalate	2.401	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.813	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	16.288	mg/kg	5.7
	Diethyl phthalate	0.506	mg/kg	1.0
	Diheptyl phthalate	0.028	mg/kg	1.4
	Diisobutyl phthalate	2.575	mg/kg	3.5
	Diisodecyl phthalate	3.276	mg/kg	8.8
	Diisononyl phthalate	11.240	mg/kg	7.2
	Dimethyl phthalate	0.198	mg/kg	1.6
	Dioctyl phthalate	0.294	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.7
	1-Methylfluorene	0.123	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.803	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.526	mg/kg	1.6
	2-Methylantracene	0.079	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.016	mg/kg	0.7
	Benzo(a)anthracene	0.016	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.016	mg/kg	1.2
	Benzo(ghi)perylene	0.032	mg/kg	6.5
	Benzo(k)fluoranthene	0.008	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.020	mg/kg	0.8
	Fluoranthene	0.072	mg/kg	0.9
	Chrysene	0.041	mg/kg	1.1
	Indeno(123-cd)pyrene	0.012	mg/kg	7.4
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.173	mg/kg	0.8
	Pyrene	0.075	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.027	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.102	mg/kg	2.3
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
25	Anthraquinone	1.356	mg/kg	0.8
	Bisphenol A	12.578	mg/kg	6.2
	Bisphenol F	0.223	mg/kg	7.0
	Bisphenol S	1.183	mg/kg	10.0
	2-Isopropylthioxanthone	0.068	mg/kg	0.9
	4-Isopropylthioxanthone	0.014	mg/kg	0.9
	4-Methylbenzophenone	0.164	mg/kg	0.8
	Benzophenone	0.327	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.022	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.007	mg/kg	1.1
	Dibutyl phthalate	1.712	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.291	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	5.896	mg/kg	5.6
	Diethyl phthalate	0.196	mg/kg	0.9
	Diheptyl phthalate	0.018	mg/kg	2.2
	Diisobutyl phthalate	2.488	mg/kg	3.1
	Diisodecyl phthalate	1.386	mg/kg	8.8
	Diisononyl phthalate	3.507	mg/kg	6.4
	Dimethyl phthalate	0.095	mg/kg	1.0
	Dioctyl phthalate	0.196	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.005	mg/kg	1.9
	1-Methylfluorene	0.156	mg/kg	0.6
	1-Methylnaphthalene	0.003	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.732	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.003	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.609	mg/kg	1.4
	2-Methylantracene	0.032	mg/kg	0.9
	2-Methylnaphthalene	0.003	mg/kg	2.3
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.215	mg/kg	0.6
	Benzo(a)anthracene	0.004	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	0.7
	Benzo(ghi)perylene	0.010	mg/kg	7.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Fluorene	0.013	mg/kg	0.7
	Fluoranthene	0.024	mg/kg	0.8
	Chrysene	0.014	mg/kg	1.3
	Indeno(123-cd)pyrene	0.003	mg/kg	4.5
	Naphtalene	0.012	mg/kg	1.8
	Phenanthrene	0.125	mg/kg	0.5
	Pyrene	0.024	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.016	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	2.375	mg/kg	0.7
	Bisphenol A	10.097	mg/kg	3.9
	Bisphenol F	0.079	mg/kg	7.0
	Bisphenol S	0.655	mg/kg	8.0
	2-Isopropylthioxanthone	0.232	mg/kg	0.9
	4-Isopropylthioxanthone	0.065	mg/kg	1.1
	4-Methylbenzophenone	0.497	mg/kg	0.9
	Benzophenone	2.591	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.103	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.024	mg/kg	1.5
	Dibutyl phthalate	2.315	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.962	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	9.817	mg/kg	5.7
	Diethyl phthalate	0.547	mg/kg	0.6
	Diheptyl phthalate	0.025	mg/kg	1.4
	Diisobutyl phthalate	2.220	mg/kg	3.4
	Diisodecyl phthalate	3.961	mg/kg	9.4
	Diisononyl phthalate	11.855	mg/kg	7.7
	Dimethyl phthalate	0.299	mg/kg	1.0
	Dioctyl phthalate	0.329	mg/kg	5.3
	Dipentyl phthalate	0.006	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.9
	1-Methylfluorene	0.170	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.023	mg/kg	1.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
26	2,6-Dimethylnaphthalene	0.008	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.776	mg/kg	1.4
	2-Methylantracene	0.062	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.6
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.009	mg/kg	1.2
	Benzo(ghi)perylene	0.024	mg/kg	7.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.022	mg/kg	0.7
	Fluoranthene	0.046	mg/kg	0.7
	Chrysene	0.028	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.146	mg/kg	0.9
	Pyrene	0.062	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.142	mg/kg	0.5
	Bisphenol A	10.248	mg/kg	5.8
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.953	mg/kg	8.0
	2-Isopropylthioxanthone	0.234	mg/kg	0.9
	4-Isopropylthioxanthone	0.065	mg/kg	0.6
	4-Methylbenzophenone	0.430	mg/kg	0.8
	Benzophenone	2.442	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.068	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.025	mg/kg	1.5
	Dibutyl phthalate	2.301	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	1.091	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	12.717	mg/kg	5.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
27	Diethyl phthalate	0.436	mg/kg	0.9
	Diheptyl phthalate	0.032	mg/kg	2.1
	Diisobutyl phthalate	2.110	mg/kg	3.1
	Diisodecyl phthalate	2.560	mg/kg	9.6
	Diisononyl phthalate	6.211	mg/kg	8.0
	Dimethyl phthalate	0.161	mg/kg	1.6
	Dioctyl phthalate	0.328	mg/kg	5.2
	Dipentyl phthalate	0.008	mg/kg	1.1
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.008	mg/kg	1.8
	1-Methylfluorene	0.124	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.263	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.005	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.949	mg/kg	1.8
	2-Methylantracene	0.076	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.017	mg/kg	0.7
	Benzo(a)anthracene	0.036	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.026	mg/kg	1.2
	Benzo(ghi)perylene	0.040	mg/kg	7.6
	Benzo(k)fluoranthene	0.015	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.018	mg/kg	0.6
	Fluoranthene	0.096	mg/kg	0.6
	Chrysene	0.057	mg/kg	1.0
	Indeno(123-cd)pyrene	0.021	mg/kg	7.6
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.179	mg/kg	0.5
	Pyrene	0.101	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
28	Anthraquinone	1.577	mg/kg	0.6
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.840	mg/kg	8.0
	2-Isopropylthioxanthone	0.296	mg/kg	0.5
	4-Isopropylthioxanthone	0.081	mg/kg	1.1
	4-Methylbenzophenone	0.400	mg/kg	0.9
	Benzophenone	2.238	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.063	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.020	mg/kg	1.4
	Dibutyl phthalate	6.430	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.787	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	10.645	mg/kg	3.4
	Diethyl phthalate	0.558	mg/kg	0.9
	Diheptyl phthalate	0.018	mg/kg	1.4
	Diisobutyl phthalate	6.170	mg/kg	3.5
	Diisodecyl phthalate	2.567	mg/kg	8.3
	Diisononyl phthalate	9.588	mg/kg	8.2
	Dimethyl phthalate	0.299	mg/kg	1.5
	Dioctyl phthalate	0.263	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.004	mg/kg	1.3
	1,6-Dimethylnaphthalene	0.014	mg/kg	1.9
	1-Methylfluorene	0.150	mg/kg	1.1
	1-Methylnaphthalene	0.009	mg/kg	1.9
	2,6-Diisopropylnaphthalene	1.274	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.011	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.918	mg/kg	1.8
	2-Methylantracene	0.074	mg/kg	0.8
	2-Methylnaphthalene	0.010	mg/kg	2.5
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.7
	Benzo(a)anthracene	0.014	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.014	mg/kg	1.1
	Benzo(ghi)perylene	0.031	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.024	mg/kg	0.6
	Fluoranthene	0.065	mg/kg	0.8
	Chrysene	0.039	mg/kg	1.1
	Indeno(123-cd)pyrene	0.009	mg/kg	7.1
	Naphthalene	0.039	mg/kg	2.3
	Phenanthrene	0.158	mg/kg	0.8
	Pyrene	0.078	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.016	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.004	mg/kg	3.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
29	Anthraquinone	1.128	mg/kg	0.8
	Bisphenol A	9.598	mg/kg	6.6
	Bisphenol F	0.069	mg/kg	9.3
	Bisphenol S	1.151	mg/kg	8.0
	2-Isopropylthioxanthone	0.238	mg/kg	0.8
	4-Isopropylthioxanthone	0.067	mg/kg	1.0
	4-Methylbenzophenone	0.509	mg/kg	0.9
	Benzophenone	2.651	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.105	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.024	mg/kg	1.3
	Dibutyl phthalate	2.369	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.985	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	10.047	mg/kg	4.5
	Diethyl phthalate	0.560	mg/kg	1.0
	Diheptyl phthalate	0.026	mg/kg	2.1
	Diisobutyl phthalate	2.272	mg/kg	3.6
	Diisodecyl phthalate	4.054	mg/kg	8.3
	Diisononyl phthalate	12.132	mg/kg	8.0
	Dimethyl phthalate	0.306	mg/kg	1.6
	Dioctyl phthalate	0.336	mg/kg	4.9
	Dipentyl phthalate	0.006	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.9
	1-Methylfluorene	0.174	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.047	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.794	mg/kg	1.8
	2-Methylantracene	0.064	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.015	mg/kg	0.4
	Benzo(a)anthracene	0.010	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.009	mg/kg	1.1
	Benzo(ghi)perylene	0.025	mg/kg	7.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.023	mg/kg	0.5
	Fluoranthene	0.047	mg/kg	0.8
	Chrysene	0.028	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.150	mg/kg	0.8
	Pyrene	0.064	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.017	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	2.454	mg/kg	0.7
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.670	mg/kg	8.0
	2-Isopropylthioxanthone	0.305	mg/kg	0.5
	4-Isopropylthioxanthone	0.024	mg/kg	0.6
	4-Methylbenzophenone	0.676	mg/kg	0.5
	Benzophenone	2.212	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.059	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.048	mg/kg	1.5
	Dibutyl phthalate	2.604	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.964	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	36.021	mg/kg	5.6
	Diethyl phtalate	0.276	mg/kg	0.9
	Diheptyl phthalate	0.028	mg/kg	2.4
	Diisobutyl phtalate	8.367	mg/kg	3.3
	Diisodecyl phthalate	4.749	mg/kg	7.3
	Diisononyl phthalate	16.439	mg/kg	7.7
	Dimethyl phthalate	0.582	mg/kg	1.6
	Dioctyl phthalate	0.364	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.9
	1-Methylfluorene	0.153	mg/kg	1.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
30	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	1.069	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.007	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.833	mg/kg	1.8
	2-Methylantracene	0.058	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.011	mg/kg	0.7
	Benzo(a)anthracene	0.017	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.016	mg/kg	0.9
	Benzo(ghi)perylene	0.033	mg/kg	4.4
	Benzo(k)fluoranthene	0.008	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.017	mg/kg	0.8
	Fluoranthene	0.060	mg/kg	0.6
	Chrysene	0.037	mg/kg	1.3
	Indeno(123-cd)pyrene	0.012	mg/kg	6.7
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.122	mg/kg	0.5
	Pyrene	0.075	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.012	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.409	mg/kg	0.6
	Bisphenol A	9.825	mg/kg	6.6
	Bisphenol F	0.090	mg/kg	11.7
	Bisphenol S	0.655	mg/kg	10.3
	2-Isopropylthioxanthone	0.101	mg/kg	0.8
	4-Isopropylthioxanthone	0.049	mg/kg	0.9
	4-Methylbenzophenone	0.364	mg/kg	0.8
	Benzophenone	1.687	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.046	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.030	mg/kg	1.3
	Dibutyl phthalate	2.341	mg/kg	2.2

Sample ID	Analyte	Value	Units	Uncertainty (± %)
31	Bis(2-ethylhexyl) adipate	0.745	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	18.853	mg/kg	5.4
	Diethyl phtalate	0.429	mg/kg	0.7
	Diheptyl phthalate	0.024	mg/kg	2.4
	Diisobutyl phtalate	2.454	mg/kg	3.5
	Diisodecyl phthalate	1.638	mg/kg	5.5
	Diisononyl phthalate	5.475	mg/kg	6.4
	Dimethyl phthalate	0.635	mg/kg	1.7
	Dioctyl phthalate	0.282	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.9
	1-Methylfluorene	0.159	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.631	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.5
	2,7-Diisopropylnaphthalene	1.200	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.008	mg/kg	1.9
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.007	mg/kg	0.6
	Benzo(a)anthracene	0.019	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.013	mg/kg	1.1
	Benzo(ghi)perylene	0.014	mg/kg	7.0
	Benzo(k)fluoranthene	0.008	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.020	mg/kg	0.6
	Fluoranthene	0.064	mg/kg	0.8
	Chrysene	0.019	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.052	mg/kg	0.5
	Pyrene	0.050	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.011	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
32	Anthraquinone	1.278	mg/kg	0.8
	Bisphenol A	11.374	mg/kg	3.9
	Bisphenol F	0.084	mg/kg	10.5
	Bisphenol S	1.028	mg/kg	6.0
	2-Isopropylthioxanthone	0.354	mg/kg	0.8
	4-Isopropylthioxanthone	0.091	mg/kg	1.0
	4-Methylbenzophenone	0.521	mg/kg	0.8
	Benzophenone	2.488	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.076	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.034	mg/kg	0.9
	Dibutyl phthalate	2.526	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	1.520	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	11.034	mg/kg	5.7
	Diethyl phthalate	0.444	mg/kg	0.6
	Diheptyl phthalate	0.033	mg/kg	1.4
	Diisobutyl phthalate	2.489	mg/kg	3.3
	Diisodecyl phthalate	3.626	mg/kg	8.3
	Diisononyl phthalate	9.638	mg/kg	4.8
	Dimethyl phthalate	0.148	mg/kg	1.0
	Dioctyl phthalate	0.295	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.5
	1-Methylfluorene	0.186	mg/kg	1.1
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.307	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.006	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.993	mg/kg	1.6
	2-Methylantracene	0.072	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.015	mg/kg	0.7
	Benzo(a)anthracene	0.011	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.1
	Benzo(ghi)perylene	0.038	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.023	mg/kg	0.7
	Fluoranthene	0.056	mg/kg	0.9
	Chrysene	0.034	mg/kg	1.1
	Indeno(123-cd)pyrene	0.010	mg/kg	5.9
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.168	mg/kg	0.5
	Pyrene	0.073	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.183	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.070	mg/kg	4.5
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	0.043	mg/kg	5.0
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
33	Anthraquinone	1.469	mg/kg	0.6
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.504	mg/kg	10.3
	2-Isopropylthioxanthone	0.217	mg/kg	0.8
	4-Isopropylthioxanthone	0.048	mg/kg	1.0
	4-Methylbenzophenone	0.389	mg/kg	0.8
	Benzophenone	2.675	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.102	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.056	mg/kg	1.5
	Dibutyl phthalate	2.212	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.841	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	7.800	mg/kg	5.7
	Diethyl phthalate	0.757	mg/kg	0.9
	Diheptyl phthalate	0.025	mg/kg	2.4
	Diisobutyl phthalate	2.134	mg/kg	3.6
	Diisodecyl phthalate	2.743	mg/kg	5.5
	Diisononyl phthalate	10.380	mg/kg	6.4
	Dimethyl phthalate	0.186	mg/kg	1.6
	Dioctyl phthalate	0.370	mg/kg	5.3
	Dipentyl phthalate	0.005	mg/kg	1.2
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.007	mg/kg	1.8
	1-Methylfluorene	0.094	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.677	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.005	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.538	mg/kg	1.4
	2-Methylantracene	0.050	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.010	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(b)fluoranthene	0.008	mg/kg	1.1
	Benzo(ghi)perylene	0.019	mg/kg	4.4
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.015	mg/kg	0.7
	Fluoranthene	0.040	mg/kg	0.9
	Chrysene	0.026	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.109	mg/kg	0.7
	Pyrene	0.047	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.020	mg/kg	0.5
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.015	mg/kg	0.9
	Benzophenone	0.502	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.023	mg/kg	1.5
	Dibutyl phthalate	0.351	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.133	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	0.451	mg/kg	5.6
	Diethyl phtalate	0.027	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	0.415	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.012	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
34	1,6-Dimethylnaphthalene	0.005	mg/kg	1.7
	1-Methylfluorene	0.027	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.324	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.003	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.228	mg/kg	1.7
	2-Methylantracene	0.009	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.005	mg/kg	0.8
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.028	mg/kg	3.1
	Phenanthrene	0.011	mg/kg	0.8
	Pyrene	0.004	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.027	mg/kg	0.5
	4-Isopropylthioxanthone	0.051	mg/kg	1.1
	4-Methylbenzophenone	0.012	mg/kg	0.7
	Benzophenone	1.550	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
35	2-Ethylhexyl-4-dimethylamino benzoate	0.114	mg/kg	1.1
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.144	mg/kg	5.4
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.233	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.022	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.206	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.166	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.026	mg/kg	0.7
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.008	mg/kg	0.8
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.010	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
36	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.005	mg/kg	0.8
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.010	mg/kg	0.8
	Benzophenone	2.447	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	0.203	mg/kg	1.4
	Dibutyl phthalate	0.124	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.079	mg/kg	5.7
	Diethyl phthalate	0.026	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.302	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.015	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.166	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.106	mg/kg	1.7
	2-Methylantracene	0.004	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.018	mg/kg	0.8
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.004	mg/kg	0.9
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
37	Anthraquinone	0.407	mg/kg	0.8
	Bisphenol A	8.558	mg/kg	6.7
	Bisphenol F	0.043	mg/kg	7.0
	Bisphenol S	0.370	mg/kg	6.0
	2-Isopropylthioxanthone	0.186	mg/kg	0.5
	4-Isopropylthioxanthone	0.030	mg/kg	0.6
	4-Methylbenzophenone	0.419	mg/kg	0.8
	Benzophenone	1.421	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.055	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.087	mg/kg	1.4
	Dibutyl phthalate	1.010	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.795	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	5.955	mg/kg	5.6
	Diethyl phthalate	0.378	mg/kg	0.8
	Diheptyl phthalate	0.015	mg/kg	2.2
	Diisobutyl phthalate	1.122	mg/kg	3.5
	Diisodecyl phthalate	2.288	mg/kg	5.5
	Diisononyl phthalate	4.326	mg/kg	8.0
	Dimethyl phthalate	0.073	mg/kg	1.6
	Dioctyl phthalate	0.214	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.003	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.002	mg/kg	1.9
	1,6-Dimethylnaphthalene	0.017	mg/kg	1.8
	1-Methylfluorene	0.340	mg/kg	0.8
	1-Methylnaphthalene	0.007	mg/kg	2.0
	2,6-Diisopropylnaphthalene	1.008	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.010	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.062	mg/kg	1.8
	2-Methylantracene	0.048	mg/kg	0.8
	2-Methylnaphthalene	0.007	mg/kg	2.5
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(a)anthracene	0.005	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	1.2
	Benzo(ghi)perylene	0.017	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.026	mg/kg	0.8
	Fluoranthene	0.024	mg/kg	1.0
	Chrysene	0.014	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.014	mg/kg	2.9
	Phenanthrene	0.123	mg/kg	0.7
	Pyrene	0.038	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.005	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.159	mg/kg	3.5
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.027	mg/kg	5.4
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	0.017	mg/kg	4.6
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.839	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.006	mg/kg	0.9
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.011	mg/kg	0.9
	Benzophenone	2.739	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	0.227	mg/kg	1.4
	Dibutyl phthalate	0.139	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.088	mg/kg	5.0
	Diethyl phthalate	0.029	mg/kg	0.6
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.338	mg/kg	3.3
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
38	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.017	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.186	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.119	mg/kg	1.1
	2-Methylantracene	0.005	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.021	mg/kg	0.8
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.005	mg/kg	0.7
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.415	mg/kg	0.6
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.003	mg/kg	10.0
	2-Isopropylthioxanthone	0.066	mg/kg	0.8
	4-Isopropylthioxanthone	0.014	mg/kg	0.9
	4-Methylbenzophenone	0.096	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
39	Benzophenone	0.512	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.011	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.006	mg/kg	1.3
	Dibutyl phthalate	0.989	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.153	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.037	mg/kg	0.8
	Diheptyl phthalate	0.006	mg/kg	2.3
	Diisobutyl phthalate	0.855	mg/kg	3.4
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.020	mg/kg	1.6
	Dioctyl phthalate	0.109	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.003	mg/kg	1.9
	1-Methylfluorene	0.018	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.162	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.002	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.106	mg/kg	1.8
	2-Methylantracene	0.016	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.003	mg/kg	0.7
	Benzo(a)anthracene	0.004	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	1.2
	Benzo(ghi)perylene	0.008	mg/kg	7.3
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.004	mg/kg	0.8
	Fluoranthene	0.014	mg/kg	0.7
	Chrysene	0.010	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.013	mg/kg	3.0
	Phenanthrene	0.040	mg/kg	0.8
	Pyrene	0.015	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
40	Anthraquinone	0.441	mg/kg	0.8
	Bisphenol A	6.817	mg/kg	6.6
	Bisphenol F	0.873	mg/kg	12.0
	Bisphenol S	8.414	mg/kg	10.3
	2-Isopropylthioxanthone	0.806	mg/kg	0.8
	4-Isopropylthioxanthone	0.074	mg/kg	1.0
	4-Methylbenzophenone	1.145	mg/kg	0.9
	Benzophenone	2.735	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.498	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.029	mg/kg	0.9
	Dibutyl phthalate	1.717	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	0.914	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	4.382	mg/kg	5.6
	Diethyl phthalate	0.454	mg/kg	0.9
	Diheptyl phthalate	0.016	mg/kg	1.9
	Diisobutyl phthalate	2.680	mg/kg	3.4
	Diisodecyl phthalate	2.034	mg/kg	8.3
	Diisononyl phthalate	5.603	mg/kg	7.7
	Dimethyl phthalate	0.217	mg/kg	1.4
	Dioctyl phthalate	0.192	mg/kg	5.2
	Dipentyl phthalate	0.009	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.006	mg/kg	1.8
	1,4-Dimethylnaphthalene	0.006	mg/kg	1.3
	1,6-Dimethylnaphthalene	0.023	mg/kg	1.5
	1-Methylfluorene	0.197	mg/kg	0.8
	1-Methylnaphthalene	0.006	mg/kg	1.8
	2,6-Diisopropylnaphthalene	1.147	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.012	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.779	mg/kg	1.1
	2-Methylantracene	0.058	mg/kg	0.8
	2-Methylnaphthalene	0.007	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.021	mg/kg	0.7
	Benzo(a)anthracene	0.006	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.005	mg/kg	1.2
	Benzo(ghi)perylene	0.018	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.036	mg/kg	0.8
	Fluoranthene	0.023	mg/kg	0.9
	Chrysene	0.015	mg/kg	1.0
	Indeno(123-cd)pyrene	0.005	mg/kg	4.5
	Naphtalene	0.022	mg/kg	3.0
	Phenanthrene	0.146	mg/kg	0.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Pyrene	0.040	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.008	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.337	mg/kg	0.8
	Bisphenol A	7.875	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.379	mg/kg	9.0
	2-Isopropylthioxanthone	0.492	mg/kg	0.9
	4-Isopropylthioxanthone	0.061	mg/kg	1.0
	4-Methylbenzophenone	0.607	mg/kg	0.5
	Benzophenone	1.978	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.329	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.124	mg/kg	1.4
	Dibutyl phthalate	1.961	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	1.556	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	3.317	mg/kg	4.5
	Diethyl phthalate	0.382	mg/kg	0.9
	Diheptyl phthalate	0.022	mg/kg	1.9
	Diisobutyl phthalate	1.865	mg/kg	3.4
	Diisodecyl phthalate	1.990	mg/kg	7.3
	Diisononyl phthalate	3.496	mg/kg	6.4
	Dimethyl phthalate	0.107	mg/kg	1.3
	Dioctyl phthalate	0.213	mg/kg	4.9
	Dipentyl phthalate	0.018	mg/kg	1.0
	1,2-Dimethylnaphthalene	0.005	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.005	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.023	mg/kg	1.8
	1-Methylfluorene	0.261	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.673	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.013	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.289	mg/kg	1.6
	2-Methylantracene	0.072	mg/kg	0.5
	2-Methylnaphthalene	0.008	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
41	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.024	mg/kg	0.7
	Benzo(a)anthracene	0.007	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.006	mg/kg	0.7
	Benzo(ghi)perylene	0.021	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.042	mg/kg	0.8
	Fluoranthene	0.028	mg/kg	0.8
	Chrysene	0.021	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.184	mg/kg	0.9
	Pyrene	0.060	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.393	mg/kg	0.5
	Bisphenol A	8.339	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.162	mg/kg	10.0
	2-Isopropylthioxanthone	0.235	mg/kg	0.8
	4-Isopropylthioxanthone	0.030	mg/kg	1.0
	4-Methylbenzophenone	0.256	mg/kg	0.8
	Benzophenone	1.644	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.084	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.068	mg/kg	1.1
	Dibutyl phthalate	1.742	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	1.127	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	6.877	mg/kg	3.4
	Diethyl phtalate	0.507	mg/kg	0.8
	Diheptyl phthalate	0.019	mg/kg	1.9
	Diisobutyl phtalate	1.921	mg/kg	3.4
	Diisodecyl phthalate	1.741	mg/kg	7.3
	Diisononyl phthalate	2.156	mg/kg	8.0
	Dimethyl phthalate	0.059	mg/kg	1.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
42	Dioctyl phthalate	0.167	mg/kg	5.2
	Dipentyl phthalate	0.006	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.013	mg/kg	1.9
	1-Methylfluorene	0.421	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	2.378	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.9
	2,7-Diisopropylnaphthalene	2.049	mg/kg	1.7
	2-Methylanthracene	0.044	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylanthracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.6
	Benzo(a)anthracene	0.005	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.014	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.024	mg/kg	0.8
	Fluoranthene	0.018	mg/kg	1.0
	Chrysene	0.013	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.104	mg/kg	0.5
	Pyrene	0.035	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.026	mg/kg	0.8
	Bisphenol A	0.098	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.031	mg/kg	0.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
43	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.044	mg/kg	0.9
	Benzophenone	0.228	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.010	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.013	mg/kg	1.4
	Dibutyl phthalate	2.720	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	1.693	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	268.719	mg/kg	5.0
	Diethyl phthalate	0.097	mg/kg	0.8
	Diheptyl phthalate	0.010	mg/kg	2.4
	Diisobutyl phthalate	1.795	mg/kg	2.1
	Diisodecyl phthalate	0.836	mg/kg	7.3
	Diisononyl phthalate	2.291	mg/kg	7.2
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.165	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.012	mg/kg	1.6
	1,4-Dimethylnaphthalene	0.022	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.076	mg/kg	1.8
	1-Methylfluorene	0.271	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.838	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.040	mg/kg	1.5
	2,7-Diisopropylnaphthalene	1.511	mg/kg	1.6
	2-Methylantracene	0.114	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	0.013	mg/kg	1.3
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.189	mg/kg	0.7
	Fluoranthene	0.058	mg/kg	0.9
	Chrysene	0.009	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.271	mg/kg	0.7
	Pyrene	0.052	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
44	Anthraquinone	0.089	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.015	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.181	mg/kg	5.6
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	2.715	mg/kg	8.2
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.114	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.415	mg/kg	0.7
	Bisphenol A	8.084	mg/kg	6.7
	Bisphenol F	0.084	mg/kg	11.2
	Bisphenol S	0.550	mg/kg	8.0
	2-Isopropylthioxanthone	0.297	mg/kg	0.8
	4-Isopropylthioxanthone	0.067	mg/kg	1.0
	4-Methylbenzophenone	0.379	mg/kg	0.9
	Benzophenone	1.427	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.076	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.042	mg/kg	1.1
	Dibutyl phthalate	2.011	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.841	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	5.269	mg/kg	3.4
	Diethyl phtalate	0.429	mg/kg	0.8
	Diheptyl phthalate	0.021	mg/kg	1.4
	Diisobutyl phtalate	2.139	mg/kg	3.6
	Diisodecyl phthalate	2.528	mg/kg	9.6
	Diisononyl phthalate	5.293	mg/kg	8.0
	Dimethyl phthalate	0.186	mg/kg	1.4
	Dioctyl phthalate	0.213	mg/kg	4.6
	Dipentyl phthalate	0.010	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.007	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.1
	1-Methylfluorene	0.126	mg/kg	1.0
	1-Methylnaphthalene	0.013	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.803	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.574	mg/kg	1.4
	2-Methylantracene	0.060	mg/kg	0.8
	2-Methylnaphthalene	0.012	mg/kg	2.3

Sample ID	Analyte	Value	Units	Uncertainty (± %)
45	9-Methylantracene	0.050	mg/kg	0.7
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.007	mg/kg	1.7
	Anthracene	0.014	mg/kg	0.7
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.2
	Benzo(ghi)perylene	0.027	mg/kg	7.0
	Benzo(k)fluoranthene	0.008	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.020	mg/kg	0.8
	Fluoranthene	0.038	mg/kg	1.0
	Chrysene	0.026	mg/kg	1.1
	Indeno(123-cd)pyrene	0.011	mg/kg	6.7
	Naphtalene	0.038	mg/kg	3.1
	Phenanthrene	0.133	mg/kg	0.9
	Pyrene	0.051	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.253	mg/kg	7.8
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.023	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.148	mg/kg	4.0
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.012	mg/kg	4.3
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.049	mg/kg	6.0
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.004	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.236	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.025	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.415	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.545	mg/kg	3.4
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.132	mg/kg	3.5
	Diisodecyl phthalate	0.194	mg/kg	5.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
46	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.020	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.259	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
47	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.011	mg/kg	0.9
	Benzophenone	0.042	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.201	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.545	mg/kg	5.6
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	0.363	mg/kg	9.2
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.032	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	0.006	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.008	mg/kg	2.6
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
48	Anthraquinone	0.072	mg/kg	0.7
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	< LOQ	mg/kg	-
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.200	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.210	mg/kg	5.9
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	0.010	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.011	mg/kg	0.9
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.117	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.020	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.341	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.198	mg/kg	5.7
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.118	mg/kg	3.6
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.014	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
49	2-Methylantracene	0.011	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.012	mg/kg	0.7
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.287	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.012	mg/kg	0.8
	Benzophenone	0.058	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phtalate	0.305	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
50	Diisobutyl phthalate	0.383	mg/kg	3.6
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	0.206	mg/kg	7.7
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.004	mg/kg	1.3
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.020	mg/kg	1.9
	1-Methylfluorene	0.008	mg/kg	1.0
	1-Methylnaphthalene	0.016	mg/kg	2.0
	2,6-Diisopropylnaphthalene	0.055	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.015	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.042	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.023	mg/kg	2.5
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.008	mg/kg	0.7
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.068	mg/kg	3.1
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.021	mg/kg	0.8



Sample ID	Analyte	Value	Units	Uncertainty (± %)
51	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.060	mg/kg	0.9
	Benzophenone	0.277	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.007	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.422	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.419	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.319	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.454	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.008	mg/kg	1.5
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.009	mg/kg	1.0
	1,4-Dimethylnaphthalene	0.010	mg/kg	2.2
	1,6-Dimethylnaphthalene	0.046	mg/kg	1.9
	1-Methylfluorene	0.012	mg/kg	0.9
	1-Methylnaphthalene	0.023	mg/kg	1.6
	2,6-Diisopropylnaphthalene	0.063	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.034	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.046	mg/kg	1.7
	2-Methylantracene	0.070	mg/kg	0.8
	2-Methylnaphthalene	0.032	mg/kg	1.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.005	mg/kg	1.6
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.062	mg/kg	3.1
	Phenanthrene	0.166	mg/kg	0.8
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
52	Anthraquinone	2.892	mg/kg	0.7
	Bisphenol A	6.572	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.117	mg/kg	10.5
	2-Isopropylthioxanthone	0.308	mg/kg	0.8
	4-Isopropylthioxanthone	0.070	mg/kg	0.6
	4-Methylbenzophenone	0.393	mg/kg	0.9
	Benzophenone	1.479	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.079	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.043	mg/kg	1.5
	Dibutyl phthalate	2.086	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	0.872	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	5.464	mg/kg	5.4
	Diethyl phthalate	0.444	mg/kg	0.7
	Diheptyl phthalate	0.022	mg/kg	1.4
	Diisobutyl phthalate	2.218	mg/kg	2.1
	Diisodecyl phthalate	2.622	mg/kg	5.5
	Diisononyl phthalate	5.489	mg/kg	8.2
	Dimethyl phthalate	0.193	mg/kg	1.4
	Dioctyl phthalate	0.221	mg/kg	5.3
	Dipentyl phthalate	0.010	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.007	mg/kg	1.8
	1,4-Dimethylnaphthalene	0.006	mg/kg	1.9
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.5
	1-Methylfluorene	0.131	mg/kg	0.9
	1-Methylnaphthalene	0.013	mg/kg	1.2
	2,6-Diisopropylnaphthalene	0.766	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.548	mg/kg	1.4
	2-Methylantracene	0.058	mg/kg	0.8
	2-Methylnaphthalene	0.012	mg/kg	1.4
	9-Methylantracene	0.048	mg/kg	0.6
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.007	mg/kg	1.7
	Anthracene	0.014	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.011	mg/kg	1.1
	Benzo(ghi)perylene	0.026	mg/kg	7.5
	Benzo(k)fluoranthene	0.007	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Fluorene	0.019	mg/kg	0.5
	Fluoranthene	0.037	mg/kg	0.9
	Chrysene	0.025	mg/kg	1.3
	Indeno(123-cd)pyrene	0.010	mg/kg	7.1
	Naphtalene	0.036	mg/kg	2.9
	Phenanthrene	0.127	mg/kg	0.8
	Pyrene	0.049	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.005	mg/kg	8.0
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.008	mg/kg	0.8
	Benzophenone	0.281	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.155	mg/kg	3.5
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	0.005	mg/kg	1.0
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
53	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.163	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.046	mg/kg	6.0
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	0.038	mg/kg	7.8
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	0.044	mg/kg	4.3
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	4.231	mg/kg	0.7
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.092	mg/kg	0.5
	Benzophenone	2.351	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.009	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.340	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.277	mg/kg	3.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
54	Diethyl phthalate	0.054	mg/kg	0.6
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.865	mg/kg	3.5
	Diisodecyl phthalate	0.281	mg/kg	7.3
	Diisononyl phthalate	0.539	mg/kg	7.7
	Dimethyl phthalate	0.028	mg/kg	1.6
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.007	mg/kg	1.8
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.005	mg/kg	1.5
	1-Methylfluorene	0.004	mg/kg	0.9
	1-Methylnaphthalene	0.009	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.008	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	0.008	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	0.056	mg/kg	0.7
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.081	mg/kg	0.6
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.005	mg/kg	0.9
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.055	mg/kg	2.8
	Phenanthrene	0.044	mg/kg	0.5
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
55	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.025	mg/kg	0.5
	Benzophenone	0.258	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.197	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.109	mg/kg	5.7
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.966	mg/kg	3.4
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
56	Anthraquinone	0.790	mg/kg	0.8
	Bisphenol A	7.942	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.674	mg/kg	8.0
	2-Isopropylthioxanthone	0.623	mg/kg	0.7
	4-Isopropylthioxanthone	0.178	mg/kg	0.8
	4-Methylbenzophenone	1.091	mg/kg	0.7
	Benzophenone	2.012	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.141	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.057	mg/kg	1.4
	Dibutyl phthalate	3.379	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	1.483	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	19.855	mg/kg	5.4
	Diethyl phthalate	0.923	mg/kg	0.6
	Diheptyl phthalate	0.049	mg/kg	2.4
	Diisobutyl phthalate	2.803	mg/kg	3.1
	Diisodecyl phthalate	2.278	mg/kg	8.3
	Diisononyl phthalate	4.159	mg/kg	8.4
	Dimethyl phthalate	0.338	mg/kg	1.3
	Dioctyl phthalate	0.360	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.008	mg/kg	1.0
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.034	mg/kg	1.9
	1-Methylfluorene	0.206	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	0.813	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.019	mg/kg	1.8
	2,7-Diisopropylnaphtalene	0.610	mg/kg	1.6
	2-Methylantracene	0.120	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.027	mg/kg	0.6
	Benzo(a)anthracene	0.023	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.2
	Benzo(ghi)perylene	0.029	mg/kg	7.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(k)fluoranthene	0.006	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.074	mg/kg	0.7
	Fluoranthene	0.045	mg/kg	0.9
	Chrysene	0.053	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.128	mg/kg	2.9
	Phenanthrene	0.266	mg/kg	0.9
	Pyrene	0.085	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.006	mg/kg	2.6
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.531	mg/kg	0.8
	Bisphenol A	8.054	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.637	mg/kg	9.0
	2-Isopropylthioxanthone	0.298	mg/kg	0.9
	4-Isopropylthioxanthone	0.065	mg/kg	1.0
	4-Methylbenzophenone	0.841	mg/kg	0.9
	Benzophenone	2.062	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.166	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.119	mg/kg	1.5
	Dibutyl phthalate	2.307	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	3.929	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	15.624	mg/kg	4.5
	Diethyl phtalate	0.549	mg/kg	0.9
	Diheptyl phthalate	0.036	mg/kg	1.4
	Diisobutyl phtalate	2.138	mg/kg	3.1
	Diisodecyl phthalate	2.766	mg/kg	8.3
	Diisononyl phthalate	4.435	mg/kg	8.4
	Dimethyl phthalate	0.391	mg/kg	1.0
	Dioctyl phthalate	0.248	mg/kg	4.1
	Dipentyl phthalate	0.008	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.006	mg/kg	1.3
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.2
	1,6-Dimethylnaphthalene	0.026	mg/kg	1.1
	1-Methylfluorene	0.213	mg/kg	0.6



Sample ID	Analyte	Value	Units	Uncertainty (± %)
57	1-Methylnaphthalene	0.009	mg/kg	2.1
	2,6-Diisopropylnaphtalene	1.032	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.017	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.719	mg/kg	1.8
	2-Methylantracene	0.088	mg/kg	0.7
	2-Methylnaphthalene	0.013	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.029	mg/kg	0.6
	Benzo(a)anthracene	0.007	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.006	mg/kg	1.1
	Benzo(ghi)perylene	0.028	mg/kg	6.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.047	mg/kg	0.7
	Fluoranthene	0.038	mg/kg	0.9
	Chrysene	0.020	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.034	mg/kg	2.8
	Phenanthrene	0.207	mg/kg	0.5
	Pyrene	0.061	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.012	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.112	mg/kg	3.8
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.349	mg/kg	0.6
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.897	mg/kg	9.0
	2-Isopropylthioxanthone	0.329	mg/kg	0.8
	4-Isopropylthioxanthone	0.089	mg/kg	0.9
	4-Methylbenzophenone	0.762	mg/kg	0.9
	Benzophenone	1.855	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.163	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.030	mg/kg	0.9
	Dibutyl phthalate	2.359	mg/kg	2.2

Sample ID	Analyte	Value	Units	Uncertainty (± %)
58	Bis(2-ethylhexyl) adipate	1.965	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	7.192	mg/kg	5.4
	Diethyl phtalate	0.555	mg/kg	1.0
	Diheptyl phthalate	0.021	mg/kg	1.9
	Diisobutyl phtalate	2.246	mg/kg	2.1
	Diisodecyl phthalate	2.048	mg/kg	9.6
	Diisononyl phthalate	5.057	mg/kg	8.4
	Dimethyl phthalate	0.243	mg/kg	1.5
	Dioctyl phthalate	0.207	mg/kg	4.6
	Dipentyl phthalate	0.040	mg/kg	0.8
	1,2-Dimethylnaphthalene	0.008	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.008	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.038	mg/kg	1.1
	1-Methylfluorene	0.164	mg/kg	0.8
	1-Methylnaphthalene	0.011	mg/kg	2.0
	2,6-Diisopropylnaphthalene	1.060	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.026	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.697	mg/kg	1.8
	2-Methylantracene	0.097	mg/kg	0.8
	2-Methylnaphthalene	0.014	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.049	mg/kg	0.6
	Benzo(a)anthracene	0.007	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.006	mg/kg	1.1
	Benzo(ghi)perylene	0.031	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.060	mg/kg	0.8
	Fluoranthene	0.035	mg/kg	0.9
	Chrysene	0.020	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.034	mg/kg	3.0
	Phenanthrene	0.278	mg/kg	0.8
	Pyrene	0.068	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.030	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
59	Anthraquinone	0.358	mg/kg	0.6
	Bisphenol A	7.171	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.533	mg/kg	10.0
	2-Isopropylthioxanthone	0.273	mg/kg	0.9
	4-Isopropylthioxanthone	0.074	mg/kg	0.8
	4-Methylbenzophenone	0.671	mg/kg	0.9
	Benzophenone	2.014	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.209	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.025	mg/kg	1.1
	Dibutyl phthalate	7.512	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	1.542	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	8.368	mg/kg	4.5
	Diethyl phthalate	0.701	mg/kg	0.8
	Diheptyl phthalate	0.036	mg/kg	2.3
	Diisobutyl phthalate	2.372	mg/kg	3.1
	Diisodecyl phthalate	3.427	mg/kg	9.6
	Diisononyl phthalate	6.385	mg/kg	7.7
	Dimethyl phthalate	0.262	mg/kg	1.7
	Dioctyl phthalate	0.390	mg/kg	4.1
	Dipentyl phthalate	0.011	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.010	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.011	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.045	mg/kg	1.5
	1-Methylfluorene	0.246	mg/kg	0.6
	1-Methylnaphthalene	0.062	mg/kg	2.1
	2,6-Diisopropylnaphthalene	1.184	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.027	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.832	mg/kg	1.6
	2-Methylantracene	0.108	mg/kg	0.7
	2-Methylnaphthalene	0.019	mg/kg	2.5
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.028	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.038	mg/kg	7.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.061	mg/kg	0.7
	Fluoranthene	0.040	mg/kg	0.6
	Chrysene	0.024	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.113	mg/kg	2.8
	Phenanthrene	0.235	mg/kg	0.5
	Pyrene	0.075	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.009	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
60	Anthraquinone	0.415	mg/kg	0.5
	Bisphenol A	8.115	mg/kg	5.8
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.867	mg/kg	10.3
	2-Isopropylthioxanthone	0.893	mg/kg	0.7
	4-Isopropylthioxanthone	0.107	mg/kg	1.1
	4-Methylbenzophenone	0.691	mg/kg	0.8
	Benzophenone	2.641	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.428	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.035	mg/kg	1.5
	Dibutyl phthalate	2.514	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	1.998	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	7.822	mg/kg	5.9
	Diethyl phthalate	0.574	mg/kg	0.6
	Diheptyl phthalate	0.030	mg/kg	2.2
	Diisobutyl phthalate	2.252	mg/kg	3.4
	Diisodecyl phthalate	2.548	mg/kg	8.8
	Diisononyl phthalate	5.927	mg/kg	7.2
	Dimethyl phthalate	0.296	mg/kg	1.4
	Dioctyl phthalate	0.355	mg/kg	3.1
	Dipentyl phthalate	0.024	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.011	mg/kg	1.3
	1,4-Dimethylnaphthalene	0.010	mg/kg	2.2
	1,6-Dimethylnaphthalene	0.052	mg/kg	1.8
	1-Methylfluorene	0.326	mg/kg	0.9
	1-Methylnaphthalene	0.049	mg/kg	1.9
	2,6-Diisopropylnaphthalene	1.313	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.031	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.025	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.013	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.035	mg/kg	0.7
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(b)fluoranthene	0.011	mg/kg	0.9
	Benzo(ghi)perylene	0.047	mg/kg	4.4
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.065	mg/kg	0.7
	Fluoranthene	0.044	mg/kg	0.9
	Chrysene	0.027	mg/kg	1.1
	Indeno(123-cd)pyrene	0.011	mg/kg	7.6
	Naphtalene	0.042	mg/kg	2.6
	Phenanthrene	0.240	mg/kg	0.5
	Pyrene	0.086	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.009	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.873	mg/kg	0.8
	Bisphenol A	7.542	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.750	mg/kg	10.3
	2-Isopropylthioxanthone	0.562	mg/kg	0.9
	4-Isopropylthioxanthone	0.208	mg/kg	1.0
	4-Methylbenzophenone	0.772	mg/kg	0.5
	Benzophenone	2.102	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.155	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.045	mg/kg	1.4
	Dibutyl phthalate	9.915	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	1.341	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	5.020	mg/kg	5.7
	Diethyl phtalate	0.920	mg/kg	0.8
	Diheptyl phthalate	0.024	mg/kg	2.5
	Diisobutyl phtalate	6.075	mg/kg	3.6
	Diisodecyl phthalate	4.435	mg/kg	9.2
	Diisononyl phthalate	5.349	mg/kg	6.4
	Dimethyl phthalate	0.489	mg/kg	1.3
	Dioctyl phthalate	0.263	mg/kg	4.6
	Dipentyl phthalate	0.012	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.029	mg/kg	1.6
	1,4-Dimethylnaphthalene	0.033	mg/kg	2.1

Sample ID	Analyte	Value	Units	Uncertainty (± %)
61	1,6-Dimethylnaphthalene	0.132	mg/kg	1.7
	1-Methylfluorene	0.409	mg/kg	0.8
	1-Methylnaphthalene	0.138	mg/kg	1.9
	2,6-Diisopropylnaphthalene	1.957	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.072	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.385	mg/kg	1.4
	2-Methylantracene	0.159	mg/kg	0.8
	2-Methylnaphthalene	0.026	mg/kg	1.9
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.017	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.042	mg/kg	7.0
	Benzo(k)fluoranthene	0.007	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.112	mg/kg	0.8
	Fluoranthene	0.049	mg/kg	0.7
	Chrysene	0.040	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.334	mg/kg	3.0
	Phenanthrene	0.290	mg/kg	0.7
	Pyrene	0.092	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.012	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.128	mg/kg	4.0
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.051	mg/kg	6.0
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.304	mg/kg	0.8
	Bisphenol A	5.664	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.768	mg/kg	8.0
	2-Isopropylthioxanthone	0.275	mg/kg	0.8
	4-Isopropylthioxanthone	0.050	mg/kg	1.0
	4-Methylbenzophenone	0.635	mg/kg	0.7
	Benzophenone	1.871	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.132	mg/kg	1.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
62	2-Ethylhexyl-4-dimethylamino benzoate	0.029	mg/kg	1.5
	Dibutyl phthalate	2.829	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	1.249	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	4.429	mg/kg	5.4
	Diethyl phthalate	0.523	mg/kg	0.9
	Diheptyl phthalate	0.021	mg/kg	2.2
	Diisobutyl phthalate	2.028	mg/kg	3.5
	Diisodecyl phthalate	2.120	mg/kg	5.5
	Diisononyl phthalate	3.080	mg/kg	8.0
	Dimethyl phthalate	0.233	mg/kg	1.6
	Dioctyl phthalate	0.199	mg/kg	5.1
	Dipentyl phthalate	0.010	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.006	mg/kg	1.6
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.027	mg/kg	1.8
	1-Methylfluorene	0.233	mg/kg	1.0
	1-Methylnaphthalene	0.011	mg/kg	1.6
	2,6-Diisopropylnaphthalene	0.799	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.017	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.533	mg/kg	1.8
	2-Methylantracene	0.073	mg/kg	0.7
	2-Methylnaphthalene	0.012	mg/kg	1.9
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.023	mg/kg	0.7
	Benzo(a)anthracene	0.006	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.005	mg/kg	0.7
	Benzo(ghi)perylene	0.026	mg/kg	4.4
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.041	mg/kg	0.7
	Fluoranthene	0.030	mg/kg	0.9
	Chrysene	0.018	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.193	mg/kg	0.9
	Pyrene	0.056	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.009	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
63	Anthraquinone	1.231	mg/kg	0.6
	Bisphenol A	11.508	mg/kg	6.4
	Bisphenol F	0.131	mg/kg	9.3
	Bisphenol S	1.051	mg/kg	6.0
	2-Isopropylthioxanthone	0.480	mg/kg	0.9
	4-Isopropylthioxanthone	0.127	mg/kg	1.0
	4-Methylbenzophenone	0.624	mg/kg	0.8
	Benzophenone	3.303	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.104	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.061	mg/kg	1.4
	Dibutyl phthalate	2.728	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.482	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	11.748	mg/kg	5.7
	Diethyl phthalate	0.502	mg/kg	0.7
	Diheptyl phthalate	0.019	mg/kg	2.2
	Diisobutyl phthalate	11.898	mg/kg	3.4
	Diisodecyl phthalate	3.441	mg/kg	9.2
	Diisononyl phthalate	8.491	mg/kg	8.4
	Dimethyl phthalate	1.018	mg/kg	1.3
	Dioctyl phthalate	0.356	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.015	mg/kg	1.1
	1-Methylfluorene	0.204	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.128	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.009	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.737	mg/kg	1.6
	2-Methylantracene	0.065	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.013	mg/kg	0.7
	Benzo(a)anthracene	0.015	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.018	mg/kg	0.9
	Benzo(ghi)perylene	0.033	mg/kg	7.5
	Benzo(k)fluoranthene	0.008	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.021	mg/kg	0.5
	Fluoranthene	0.053	mg/kg	1.0
	Chrysene	0.040	mg/kg	1.1
	Indeno(123-cd)pyrene	0.012	mg/kg	5.9
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.140	mg/kg	0.8
	Pyrene	0.065	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	5.3



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
64	Anthraquinone	1.051	mg/kg	0.6
	Bisphenol A	9.008	mg/kg	6.7
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.276	mg/kg	10.0
	2-Isopropylthioxanthone	0.279	mg/kg	0.8
	4-Isopropylthioxanthone	0.087	mg/kg	1.0
	4-Methylbenzophenone	1.378	mg/kg	0.8
	Benzophenone	1.242	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.098	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.044	mg/kg	1.5
	Dibutyl phthalate	5.868	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.613	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	7.692	mg/kg	5.6
	Diethyl phthalate	0.668	mg/kg	0.9
	Diheptyl phthalate	0.020	mg/kg	1.9
	Diisobutyl phthalate	7.332	mg/kg	3.6
	Diisodecyl phthalate	3.170	mg/kg	9.2
	Diisononyl phthalate	6.385	mg/kg	8.4
	Dimethyl phthalate	0.167	mg/kg	1.0
	Dioctyl phthalate	0.183	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.026	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.032	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.138	mg/kg	1.9
	1-Methylfluorene	0.475	mg/kg	0.6
	1-Methylnaphthalene	0.052	mg/kg	1.6
	2,6-Diisopropylnaphthalene	1.415	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.118	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.145	mg/kg	1.6
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.053	mg/kg	2.5
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.005	mg/kg	1.3
	Anthracene	0.018	mg/kg	0.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(a)anthracene	0.010	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.010	mg/kg	1.1
	Benzo(ghi)perylene	0.039	mg/kg	7.0
	Benzo(k)fluoranthene	0.006	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.060	mg/kg	0.8
	Fluoranthene	0.062	mg/kg	0.9
	Chrysene	0.030	mg/kg	1.3
	Indeno(123-cd)pyrene	0.011	mg/kg	7.6
	Naphtalene	0.060	mg/kg	2.3
	Phenanthrene	0.277	mg/kg	0.9
	Pyrene	0.067	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.045	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.178	mg/kg	6.2
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.013	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.291	mg/kg	3.8
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.004	mg/kg	5.6
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.064	mg/kg	0.8
	Bisphenol A	15.305	mg/kg	5.8
	Bisphenol F	0.131	mg/kg	11.7
	Bisphenol S	0.665	mg/kg	9.6
	2-Isopropylthioxanthone	0.564	mg/kg	0.7
	4-Isopropylthioxanthone	0.115	mg/kg	0.8
	4-Methylbenzophenone	0.773	mg/kg	0.8
	Benzophenone	2.233	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.142	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.042	mg/kg	1.5
	Dibutyl phthalate	7.532	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.708	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	11.642	mg/kg	5.9
	Diethyl phthalate	0.541	mg/kg	0.6
	Diheptyl phthalate	0.049	mg/kg	2.4
	Diisobutyl phthalate	11.244	mg/kg	2.1
	Diisodecyl phthalate	3.620	mg/kg	9.2
	Diisononyl phthalate	14.098	mg/kg	8.2
	Dimethyl phthalate	0.284	mg/kg	1.7
	Dioctyl phthalate	0.486	mg/kg	3.1
	Dipentyl phthalate	0.012	mg/kg	1.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
65	1,2-Dimethylnaphthalene	0.004	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.004	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.016	mg/kg	1.9
	1-Methylfluorene	0.266	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.207	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.010	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.903	mg/kg	1.8
	2-Methylantracene	0.088	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.018	mg/kg	0.7
	Benzo(a)anthracene	0.016	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.1
	Benzo(ghi)perylene	0.022	mg/kg	7.3
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.026	mg/kg	0.7
	Fluoranthene	0.066	mg/kg	0.6
	Chrysene	0.053	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.164	mg/kg	0.7
	Pyrene	0.078	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.048	mg/kg	3.4
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.563	mg/kg	0.8
	Bisphenol A	10.839	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.544	mg/kg	8.0
	2-Isopropylthioxanthone	0.470	mg/kg	0.8
	4-Isopropylthioxanthone	0.102	mg/kg	0.9
	4-Methylbenzophenone	1.471	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
66	Benzophenone	2.663	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.165	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.071	mg/kg	1.3
	Dibutyl phthalate	3.722	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	1.243	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	8.539	mg/kg	5.9
	Diethyl phthalate	0.488	mg/kg	0.6
	Diheptyl phthalate	0.029	mg/kg	1.4
	Diisobutyl phthalate	7.967	mg/kg	3.5
	Diisodecyl phthalate	2.762	mg/kg	9.2
	Diisononyl phthalate	11.065	mg/kg	7.2
	Dimethyl phthalate	0.401	mg/kg	1.7
	Dioctyl phthalate	0.342	mg/kg	3.1
	Dipentyl phthalate	0.018	mg/kg	1.2
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.5
	1-Methylfluorene	0.225	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.978	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.717	mg/kg	1.1
	2-Methylantracene	0.094	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.027	mg/kg	0.7
	Benzo(a)anthracene	0.039	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.023	mg/kg	1.2
	Benzo(ghi)perylene	0.022	mg/kg	6.5
	Benzo(k)fluoranthene	0.014	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.023	mg/kg	0.7
	Fluoranthene	0.119	mg/kg	0.9
	Chrysene	0.068	mg/kg	1.2
	Indeno(123-cd)pyrene	0.013	mg/kg	7.4
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.204	mg/kg	0.7
	Pyrene	0.120	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.014	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.055	mg/kg	5.1
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
67	Anthraquinone	2.361	mg/kg	0.8
	Bisphenol A	15.652	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.580	mg/kg	10.5
	2-Isopropylthioxanthone	0.814	mg/kg	0.8
	4-Isopropylthioxanthone	0.196	mg/kg	1.1
	4-Methylbenzophenone	1.348	mg/kg	0.8
	Benzophenone	2.077	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.159	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.124	mg/kg	1.5
	Dibutyl phthalate	9.230	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	1.288	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	8.943	mg/kg	5.6
	Diethyl phthalate	0.546	mg/kg	1.0
	Diheptyl phthalate	0.030	mg/kg	2.3
	Diisobutyl phthalate	6.774	mg/kg	3.6
	Diisodecyl phthalate	3.146	mg/kg	8.8
	Diisononyl phthalate	9.887	mg/kg	8.2
	Dimethyl phthalate	0.522	mg/kg	1.6
	Dioctyl phthalate	0.394	mg/kg	4.6
	Dipentyl phthalate	0.015	mg/kg	1.2
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.7
	1-Methylfluorene	0.236	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.077	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.746	mg/kg	1.8
	2-Methylantracene	0.092	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.017	mg/kg	0.7
	Benzo(a)anthracene	0.032	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.018	mg/kg	1.2
	Benzo(ghi)perylene	0.029	mg/kg	5.8
	Benzo(k)fluoranthene	0.012	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.024	mg/kg	0.6
	Fluoranthene	0.070	mg/kg	0.9
	Chrysene	0.076	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.177	mg/kg	0.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Pyrene	0.098	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.011	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.115	mg/kg	3.8
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.063	mg/kg	4.5
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.668	mg/kg	0.5
	Bisphenol A	7.640	mg/kg	6.6
	Bisphenol F	0.067	mg/kg	11.2
	Bisphenol S	0.383	mg/kg	9.6
	2-Isopropylthioxanthone	0.284	mg/kg	0.8
	4-Isopropylthioxanthone	0.070	mg/kg	0.8
	4-Methylbenzophenone	0.370	mg/kg	0.8
	Benzophenone	1.588	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.050	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.026	mg/kg	0.9
	Dibutyl phthalate	5.742	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.351	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	7.726	mg/kg	5.9
	Diethyl phthalate	0.429	mg/kg	0.9
	Diheptyl phthalate	0.016	mg/kg	2.1
	Diisobutyl phthalate	8.283	mg/kg	3.3
	Diisodecyl phthalate	2.583	mg/kg	7.3
	Diisononyl phthalate	9.325	mg/kg	8.4
	Dimethyl phthalate	0.727	mg/kg	1.6
	Dioctyl phthalate	0.213	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.7
	1-Methylfluorene	0.175	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.803	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.009	mg/kg	1.9
	2,7-Diisopropylnaphthalene	0.610	mg/kg	1.7
	2-Methylantracene	0.056	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
68	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.009	mg/kg	0.4
	Benzo(a)anthracene	0.013	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.015	mg/kg	1.2
	Benzo(ghi)perylene	0.029	mg/kg	7.3
	Benzo(k)fluoranthene	0.007	mg/kg	0.5
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.6
	Fluoranthene	0.049	mg/kg	1.0
	Chrysene	0.033	mg/kg	1.1
	Indeno(123-cd)pyrene	0.010	mg/kg	4.5
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.115	mg/kg	0.9
	Pyrene	0.051	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.008	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.101	mg/kg	3.7
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	0.007	mg/kg	8.7
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.217	mg/kg	0.8
	Bisphenol A	7.978	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.203	mg/kg	10.0
	2-Isopropylthioxanthone	0.909	mg/kg	0.8
	4-Isopropylthioxanthone	0.203	mg/kg	0.8
	4-Methylbenzophenone	1.602	mg/kg	0.8
	Benzophenone	2.950	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.141	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.038	mg/kg	1.4
	Dibutyl phthalate	11.577	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	1.336	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	9.716	mg/kg	5.6
	Diethyl phthalate	0.476	mg/kg	0.7
	Diheptyl phthalate	0.029	mg/kg	1.9
	Diisobutyl phthalate	18.520	mg/kg	3.6
	Diisodecyl phthalate	3.311	mg/kg	9.2
	Diisononyl phthalate	7.494	mg/kg	8.4
	Dimethyl phthalate	0.084	mg/kg	1.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
69	Dioctyl phthalate	0.342	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.039	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.046	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.196	mg/kg	1.1
	1-Methylfluorene	0.351	mg/kg	1.1
	1-Methylnaphthalene	0.065	mg/kg	2.1
	2,6-Diisopropylnaphthalene	2.596	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.153	mg/kg	1.8
	2,7-Diisopropylnaphthalene	1.778	mg/kg	1.1
	2-Methylantracene	0.209	mg/kg	0.9
	2-Methylnaphthalene	0.076	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.007	mg/kg	1.5
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.012	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	0.7
	Benzo(ghi)perylene	0.043	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.056	mg/kg	0.7
	Fluoranthene	0.052	mg/kg	0.9
	Chrysene	0.045	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.388	mg/kg	0.8
	Pyrene	0.090	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.039	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.263	mg/kg	4.0
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.061	mg/kg	3.4
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.734	mg/kg	0.8
	Bisphenol A	13.342	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.513	mg/kg	8.0
	2-Isopropylthioxanthone	0.609	mg/kg	0.8



Sample ID	Analyte	Value	Units	Uncertainty (± %)
70	4-Isopropylthioxanthone	0.144	mg/kg	0.6
	4-Methylbenzophenone	0.887	mg/kg	0.8
	Benzophenone	2.671	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.125	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.083	mg/kg	1.1
	Dibutyl phthalate	2.795	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	1.111	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	11.856	mg/kg	5.6
	Diethyl phthalate	0.564	mg/kg	0.6
	Diheptyl phthalate	0.020	mg/kg	2.2
	Diisobutyl phthalate	12.320	mg/kg	3.6
	Diisodecyl phthalate	2.975	mg/kg	9.2
	Diisononyl phthalate	9.779	mg/kg	8.4
	Dimethyl phthalate	1.154	mg/kg	1.7
	Dioctyl phthalate	0.342	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.015	mg/kg	1.9
	1-Methylfluorene	0.261	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.253	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.011	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.950	mg/kg	1.8
	2-Methylantracene	0.066	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.4
	Benzo(a)anthracene	0.018	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.023	mg/kg	1.2
	Benzo(ghi)perylene	0.030	mg/kg	7.3
	Benzo(k)fluoranthene	0.010	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.020	mg/kg	0.8
	Fluoranthene	0.068	mg/kg	0.7
	Chrysene	0.050	mg/kg	1.3
	Indeno(123-cd)pyrene	0.013	mg/kg	7.8
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.156	mg/kg	0.9
	Pyrene	0.071	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
71	Anthraquinone	3.740	mg/kg	0.8
	Bisphenol A	17.345	mg/kg	6.4
	Bisphenol F	0.075	mg/kg	11.2
	Bisphenol S	0.462	mg/kg	9.0
	2-Isopropylthioxanthone	0.728	mg/kg	0.9
	4-Isopropylthioxanthone	0.163	mg/kg	0.6
	4-Methylbenzophenone	0.741	mg/kg	0.5
	Benzophenone	2.636	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.106	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.062	mg/kg	1.4
	Dibutyl phthalate	7.746	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.859	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	13.738	mg/kg	5.6
	Diethyl phthalate	0.596	mg/kg	0.8
	Diheptyl phthalate	0.075	mg/kg	2.2
	Diisobutyl phthalate	19.649	mg/kg	3.1
	Diisodecyl phthalate	6.299	mg/kg	8.8
	Diisononyl phthalate	18.223	mg/kg	7.2
	Dimethyl phthalate	0.362	mg/kg	1.5
	Dioctyl phthalate	0.606	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.1
	1-Methylfluorene	0.489	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.563	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.5
	2,7-Diisopropylnaphthalene	1.227	mg/kg	1.8
	2-Methylantracene	0.086	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.032	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.025	mg/kg	0.7
	Benzo(ghi)perylene	0.033	mg/kg	5.8
	Benzo(k)fluoranthene	0.011	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.023	mg/kg	0.5
	Fluoranthene	0.062	mg/kg	0.7
	Chrysene	0.080	mg/kg	1.1
	Indeno(123-cd)pyrene	0.012	mg/kg	7.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Naphtalene	0.031	mg/kg	1.8
	Phenanthrene	0.155	mg/kg	0.8
	Pyrene	0.086	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.012	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.086	mg/kg	0.5
	Bisphenol A	12.540	mg/kg	6.6
	Bisphenol F	0.116	mg/kg	7.0
	Bisphenol S	0.254	mg/kg	9.6
	2-Isopropylthioxanthone	0.580	mg/kg	0.8
	4-Isopropylthioxanthone	0.103	mg/kg	1.0
	4-Methylbenzophenone	0.406	mg/kg	0.5
	Benzophenone	2.515	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.063	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.055	mg/kg	1.5
	Dibutyl phthalate	7.320	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.643	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	7.122	mg/kg	5.6
	Diethyl phtalate	0.411	mg/kg	0.8
	Diheptyl phthalate	0.035	mg/kg	2.1
	Diisobutyl phtalate	2.686	mg/kg	2.7
	Diisodecyl phthalate	6.519	mg/kg	7.3
	Diisononyl phthalate	7.113	mg/kg	7.7
	Dimethyl phthalate	0.262	mg/kg	1.7
	Dioctyl phthalate	0.450	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.007	mg/kg	1.9
	1-Methylfluorene	0.227	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.115	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.005	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.789	mg/kg	1.8
	2-Methylantracene	0.065	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
72	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.025	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.018	mg/kg	0.9
	Benzo(ghi)perylene	0.021	mg/kg	7.3
	Benzo(k)fluoranthene	0.009	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.016	mg/kg	0.8
	Fluoranthene	0.052	mg/kg	0.8
	Chrysene	0.064	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.106	mg/kg	2.6
	Phenanthrene	0.116	mg/kg	0.5
	Pyrene	0.066	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.012	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.051	mg/kg	5.7
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.023	mg/kg	0.6
	Bisphenol A	0.073	mg/kg	5.1
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.020	mg/kg	0.8
	Benzophenone	0.100	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	18.036	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.501	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	9.683	mg/kg	5.9
	Diethyl phthalate	0.249	mg/kg	0.9
	Diheptyl phthalate	0.006	mg/kg	2.2
	Diisobutyl phthalate	41.359	mg/kg	3.1
	Diisodecyl phthalate	0.316	mg/kg	7.3

Sample ID	Analyte	Value	Units	Uncertainty (± %)
73	Diisononyl phthalate	1.500	mg/kg	8.2
	Dimethyl phthalate	0.185	mg/kg	1.6
	Dioctyl phthalate	0.060	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.033	mg/kg	1.0
	1-Methylnaphthalene	0.027	mg/kg	1.6
	2,6-Diisopropylnaphthalene	0.690	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.445	mg/kg	1.8
	2-Methylantracene	0.020	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.008	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.006	mg/kg	1.2
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.020	mg/kg	0.7
	Chrysene	0.024	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.027	mg/kg	0.8
	Pyrene	0.010	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.022	mg/kg	4.4
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	0.007	mg/kg	6.0
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
74	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.020	mg/kg	0.8
	Benzophenone	0.125	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	9.502	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	2.437	mg/kg	3.4
	Diethyl phthalate	0.263	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	40.572	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.458	mg/kg	1.5
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.015	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.084	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.064	mg/kg	1.8
	2-Methylantracene	0.016	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.019	mg/kg	0.7
	Chrysene	0.008	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.041	mg/kg	0.9
	Pyrene	0.009	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.016	mg/kg	3.4
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
75	Anthraquinone	0.062	mg/kg	0.6
	Bisphenol A	1.991	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.014	mg/kg	0.5
	4-Isopropylthioxanthone	0.055	mg/kg	1.1
	4-Methylbenzophenone	0.033	mg/kg	0.7
	Benzophenone	0.331	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.016	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	27.773	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.486	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	13.080	mg/kg	5.6
	Diethyl phthalate	0.450	mg/kg	0.8
	Diheptyl phthalate	0.025	mg/kg	1.4
	Diisobutyl phthalate	31.486	mg/kg	2.1
	Diisodecyl phthalate	0.623	mg/kg	5.5
	Diisononyl phthalate	1.161	mg/kg	4.8
	Dimethyl phthalate	0.508	mg/kg	1.4
	Dioctyl phthalate	0.061	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.014	mg/kg	1.9
	1-Methylfluorene	0.127	mg/kg	1.0
	1-Methylnaphthalene	0.007	mg/kg	1.9
	2,6-Diisopropylnaphthalene	0.634	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.010	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.373	mg/kg	1.4
	2-Methylantracene	0.104	mg/kg	0.9
	2-Methylnaphthalene	0.015	mg/kg	2.3
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.006	mg/kg	0.7
	Benzo(a)anthracene	0.014	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.015	mg/kg	1.2
	Benzo(ghi)perylene	0.071	mg/kg	7.5
	Benzo(k)fluoranthene	0.009	mg/kg	0.8
	Dibenzo(ah)anthracene	0.012	mg/kg	4.8
	Fluorene	0.016	mg/kg	0.8
	Fluoranthene	0.034	mg/kg	0.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Chrysene	0.137	mg/kg	1.0
	Indeno(123-cd)pyrene	0.009	mg/kg	6.7
	Naphtalene	0.027	mg/kg	2.6
	Phenanthrene	0.170	mg/kg	0.8
	Pyrene	0.044	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.121	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	0.005	mg/kg	4.6
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.030	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.010	mg/kg	0.8
	Benzophenone	0.049	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	6.242	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.498	mg/kg	3.4
	Diethyl phthalate	0.155	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	40.586	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	0.299	mg/kg	8.4
	Dimethyl phthalate	0.169	mg/kg	1.7
	Dioctyl phthalate	0.014	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.023	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.164	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.131	mg/kg	1.8



Sample ID	Analyte	Value	Units	Uncertainty (± %)
76	2-Methylantracene	0.013	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.022	mg/kg	0.5
	Fluoranthene	0.015	mg/kg	0.9
	Chrysene	0.019	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.013	mg/kg	0.8
	Pyrene	0.008	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.020	mg/kg	4.5
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.012	mg/kg	0.8
	Bisphenol A	6.092	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.063	mg/kg	9.6
	2-Isopropylthioxanthone	0.142	mg/kg	0.5
	4-Isopropylthioxanthone	0.063	mg/kg	0.8
	4-Methylbenzophenone	0.093	mg/kg	0.9
	Benzophenone	0.507	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.018	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	17.155	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.272	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	14.155	mg/kg	5.4
	Diethyl phtalate	0.324	mg/kg	0.9
	Diheptyl phthalate	0.021	mg/kg	2.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
77	Diisobutyl phthalate	107.582	mg/kg	3.5
	Diisodecyl phthalate	2.862	mg/kg	7.3
	Diisononyl phthalate	6.877	mg/kg	6.4
	Dimethyl phthalate	0.119	mg/kg	1.3
	Dioctyl phthalate	0.177	mg/kg	4.9
	Dipentyl phthalate	0.012	mg/kg	1.1
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.006	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.8
	1-Methylfluorene	0.452	mg/kg	1.0
	1-Methylnaphthalene	0.010	mg/kg	1.8
	2,6-Diisopropylnaphthalene	4.044	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.008	mg/kg	1.9
	2,7-Diisopropylnaphthalene	3.724	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.011	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.023	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.035	mg/kg	1.2
	Benzo(ghi)perylene	0.034	mg/kg	6.5
	Benzo(k)fluoranthene	0.017	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	1.212	mg/kg	0.6
	Fluoranthene	0.059	mg/kg	0.9
	Chrysene	0.049	mg/kg	1.2
	Indeno(123-cd)pyrene	0.019	mg/kg	6.7
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.097	mg/kg	0.5
	Pyrene	0.056	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	0.026	mg/kg	7.7
	Perfluorododecanoic acid	0.014	mg/kg	5.5
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	0.021	mg/kg	6.8
	Perfluorohexanoic acid	0.018	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	0.036	mg/kg	7.8
	Perfluorooctanoic acid	0.028	mg/kg	7.6
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	0.022	mg/kg	5.0
	Anthraquinone	0.064	mg/kg	0.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
78	Bisphenol A	25.399	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.113	mg/kg	0.9
	Benzophenone	0.092	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.009	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	628.482	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	2.697	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	3.503	mg/kg	5.7
	Diethyl phthalate	0.305	mg/kg	1.0
	Diheptyl phthalate	0.003	mg/kg	2.1
	Diisobutyl phthalate	50.727	mg/kg	3.4
	Diisodecyl phthalate	3.067	mg/kg	8.3
	Diisononyl phthalate	0.476	mg/kg	8.2
	Dimethyl phthalate	0.302	mg/kg	1.3
	Dioctyl phthalate	0.020	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.040	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.205	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.144	mg/kg	1.1
	2-Methylantracene	0.036	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	0.007	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.035	mg/kg	0.8
	Fluoranthene	0.020	mg/kg	0.9
	Chrysene	0.021	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.053	mg/kg	0.9
	Pyrene	0.015	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.018	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.278	mg/kg	3.1
	Perfluoroctylsulfonamide	0.004	mg/kg	4.4
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.065	mg/kg	4.5
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.004	mg/kg	3.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
79	Anthraquinone	1.222	mg/kg	0.6
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.159	mg/kg	0.8
	4-Isopropylthioxanthone	0.071	mg/kg	0.8
	4-Methylbenzophenone	0.105	mg/kg	0.8
	Benzophenone	0.569	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.020	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	19.275	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.305	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	15.904	mg/kg	5.4
	Diethyl phthalate	0.364	mg/kg	0.8
	Diheptyl phthalate	0.023	mg/kg	2.2
	Diisobutyl phthalate	120.877	mg/kg	2.7
	Diisodecyl phthalate	3.216	mg/kg	8.3
	Diisononyl phthalate	7.727	mg/kg	8.4
	Dimethyl phthalate	0.134	mg/kg	1.6
	Dioctyl phthalate	0.199	mg/kg	5.3
	Dipentyl phthalate	0.014	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	0.007	mg/kg	1.3
	1,6-Dimethylnaphthalene	0.012	mg/kg	1.9
	1-Methylfluorene	0.508	mg/kg	1.0
	1-Methylnaphthalene	0.012	mg/kg	1.2
	2,6-Diisopropylnaphthalene	4.544	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.009	mg/kg	2.0
	2,7-Diisopropylnaphthalene	4.184	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.013	mg/kg	2.2
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.026	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.040	mg/kg	0.9
	Benzo(ghi)perylene	0.038	mg/kg	5.8
	Benzo(k)fluoranthene	0.019	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Fluorene	1.361	mg/kg	0.8
	Fluoranthene	0.066	mg/kg	0.8
	Chrysene	0.055	mg/kg	1.0
	Indeno(123-cd)pyrene	0.022	mg/kg	7.6
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.109	mg/kg	0.5
	Pyrene	0.063	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorocetyl sulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.011	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.096	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.051	mg/kg	0.8
	4-Isopropylthioxanthone	0.013	mg/kg	0.6
	4-Methylbenzophenone	0.074	mg/kg	0.7
	Benzophenone	0.255	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.009	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.006	mg/kg	1.1
	Dibutyl phthalate	2.608	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.741	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	7.825	mg/kg	5.6
	Diethyl phthalate	0.205	mg/kg	0.8
	Diheptyl phthalate	0.015	mg/kg	1.4
	Diisobutyl phthalate	8.612	mg/kg	3.5
	Diisodecyl phthalate	0.978	mg/kg	8.3
	Diisononyl phthalate	1.811	mg/kg	4.8
	Dimethyl phthalate	0.960	mg/kg	1.6
	Dioctyl phthalate	0.096	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.036	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.203	mg/kg	1.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
80	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.149	mg/kg	1.1
	2-Methylantracene	0.021	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.004	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.013	mg/kg	0.6
	Chrysene	0.012	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.039	mg/kg	0.7
	Pyrene	0.013	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.010	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.091	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.010	mg/kg	0.7
	Benzophenone	0.067	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	2.642	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.475	mg/kg	5.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
81	Diethyl phthalate	0.140	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	2.945	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	1.524	mg/kg	7.7
	Dimethyl phthalate	0.218	mg/kg	1.0
	Dioctyl phthalate	0.040	mg/kg	5.3
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.007	mg/kg	0.8
	1-Methylnaphthalene	0.013	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.046	mg/kg	0.9
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.032	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.007	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.007	mg/kg	0.7
	Fluoranthene	0.011	mg/kg	1.0
	Chrysene	0.014	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	0.028	mg/kg	2.9
	Phenanthrene	0.017	mg/kg	0.9
	Pyrene	0.015	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.018	mg/kg	2.6
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
82	Anthraquinone	0.459	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.199	mg/kg	0.5
	4-Isopropylthioxanthone	0.066	mg/kg	1.0
	4-Methylbenzophenone	0.808	mg/kg	0.8
	Benzophenone	1.281	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.071	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.020	mg/kg	0.9
	Dibutyl phthalate	1.782	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.380	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	1.517	mg/kg	5.6
	Diethyl phthalate	0.436	mg/kg	0.7
	Diheptyl phthalate	0.007	mg/kg	2.4
	Diisobutyl phthalate	2.523	mg/kg	3.4
	Diisodecyl phthalate	1.152	mg/kg	8.8
	Diisononyl phthalate	2.394	mg/kg	8.2
	Dimethyl phthalate	0.263	mg/kg	1.0
	Dioctyl phthalate	0.111	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.5
	1-Methylfluorene	0.146	mg/kg	1.0
	1-Methylnaphthalene	0.007	mg/kg	2.1
	2,6-Diisopropylnaphthalene	1.681	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.007	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.172	mg/kg	1.8
	2-Methylantracene	0.036	mg/kg	0.7
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.011	mg/kg	5.8
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.012	mg/kg	0.7
	Fluoranthene	0.015	mg/kg	0.9
	Chrysene	0.010	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.073	mg/kg	0.9
	Pyrene	0.020	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.125	mg/kg	3.1
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.057	mg/kg	4.5
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	4.9
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
83	Anthraquinone	0.270	mg/kg	0.8
	Bisphenol A	7.139	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.493	mg/kg	10.5
	2-Isopropylthioxanthone	0.222	mg/kg	0.9
	4-Isopropylthioxanthone	0.074	mg/kg	1.1
	4-Methylbenzophenone	0.901	mg/kg	0.9
	Benzophenone	1.429	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.079	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.022	mg/kg	0.9
	Dibutyl phthalate	1.988	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	0.424	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	1.693	mg/kg	5.9
	Diethyl phthalate	0.486	mg/kg	0.8
	Diheptyl phthalate	0.008	mg/kg	2.3
	Diisobutyl phthalate	2.814	mg/kg	2.1
	Diisodecyl phthalate	1.285	mg/kg	9.2
	Diisononyl phthalate	2.670	mg/kg	6.4
	Dimethyl phthalate	0.293	mg/kg	1.4
	Dioctyl phthalate	0.124	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.010	mg/kg	1.1
	1-Methylfluorene	0.163	mg/kg	0.8
	1-Methylnaphthalene	0.008	mg/kg	1.9
	2,6-Diisopropylnaphthalene	1.875	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.008	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.307	mg/kg	1.7
	2-Methylantracene	0.040	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.012	mg/kg	7.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.8
	Fluoranthene	0.017	mg/kg	0.9
	Chrysene	0.011	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.081	mg/kg	0.9
	Pyrene	0.023	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.013	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.036	mg/kg	0.8
	Bisphenol A	5.248	mg/kg	5.8
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.126	mg/kg	10.0
	2-Isopropylthioxanthone	1.862	mg/kg	0.5
	4-Isopropylthioxanthone	0.230	mg/kg	1.0
	4-Methylbenzophenone	1.265	mg/kg	0.8
	Benzophenone	2.072	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.218	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.051	mg/kg	0.9
	Dibutyl phthalate	24.440	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	2.752	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	16.267	mg/kg	5.9
	Diethyl phtalate	1.110	mg/kg	0.7
	Diheptyl phthalate	0.036	mg/kg	2.2
	Diisobutyl phtalate	48.042	mg/kg	3.6
	Diisodecyl phthalate	2.575	mg/kg	8.8
	Diisononyl phthalate	5.989	mg/kg	7.7
	Dimethyl phthalate	0.388	mg/kg	1.6
	Dioctyl phthalate	0.287	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.004	mg/kg	1.0
	1,4-Dimethylnaphthalene	0.004	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.018	mg/kg	1.7
	1-Methylfluorene	0.292	mg/kg	0.6

Sample ID	Analyte	Value	Units	Uncertainty (± %)
84	1-Methylnaphthalene	0.007	mg/kg	1.2
	2,6-Diisopropylnaphtalene	1.042	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.013	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.796	mg/kg	1.8
	2-Methylantracene	0.113	mg/kg	0.8
	2-Methylnaphthalene	0.036	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.014	mg/kg	0.4
	Benzo(a)anthracene	0.027	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.025	mg/kg	1.2
	Benzo(ghi)perylene	0.025	mg/kg	5.8
	Benzo(k)fluoranthene	0.012	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.025	mg/kg	0.6
	Fluoranthene	0.112	mg/kg	0.8
	Chrysene	0.065	mg/kg	1.3
	Indeno(123-cd)pyrene	0.011	mg/kg	4.5
	Naphtalene	0.031	mg/kg	1.8
	Phenanthrene	0.239	mg/kg	0.8
	Pyrene	0.111	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.054	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.022	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.112	mg/kg	3.7
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.064	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.219	mg/kg	0.8
	Benzophenone	0.640	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.005	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.832	mg/kg	3.4

Sample ID	Analyte	Value	Units	Uncertainty (± %)
85	Bis(2-ethylhexyl) adipate	2.578	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	35.496	mg/kg	5.7
	Diethyl phthalate	0.558	mg/kg	0.6
	Diheptyl phthalate	0.003	mg/kg	2.1
	Diisobutyl phthalate	2.826	mg/kg	3.1
	Diisodecyl phthalate	0.542	mg/kg	9.4
	Diisononyl phthalate	1.016	mg/kg	7.7
	Dimethyl phthalate	0.262	mg/kg	1.3
	Dioctyl phthalate	0.023	mg/kg	5.2
	Dipentyl phthalate	0.003	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.005	mg/kg	1.5
	1-Methylfluorene	0.021	mg/kg	0.8
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.081	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.006	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.055	mg/kg	1.8
	2-Methylantracene	0.021	mg/kg	0.8
	2-Methylnaphthalene	0.009	mg/kg	1.9
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.006	mg/kg	0.8
	Fluoranthene	0.019	mg/kg	1.0
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.080	mg/kg	0.7
	Pyrene	0.009	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
86	Anthraquinone	0.276	mg/kg	0.8
	Bisphenol A	10.003	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	3.144	mg/kg	10.3
	2-Isopropylthioxanthone	0.189	mg/kg	0.9
	4-Isopropylthioxanthone	0.074	mg/kg	1.0
	4-Methylbenzophenone	0.963	mg/kg	0.8
	Benzophenone	2.778	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.413	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	0.052	mg/kg	0.9
	Dibutyl phthalate	2.654	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	22.050	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	46.458	mg/kg	5.6
	Diethyl phthalate	0.838	mg/kg	0.6
	Diheptyl phthalate	0.013	mg/kg	2.2
	Diisobutyl phthalate	2.509	mg/kg	2.1
	Diisodecyl phthalate	2.599	mg/kg	7.3
	Diisononyl phthalate	5.293	mg/kg	8.2
	Dimethyl phthalate	0.259	mg/kg	1.7
	Dioctyl phthalate	0.228	mg/kg	5.3
	Dipentyl phthalate	0.006	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.009	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.010	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.041	mg/kg	1.8
	1-Methylfluorene	0.132	mg/kg	0.8
	1-Methylnaphthalene	0.014	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.674	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.030	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.479	mg/kg	1.8
	2-Methylantracene	0.090	mg/kg	0.9
	2-Methylnaphthalene	0.016	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.007	mg/kg	1.7
	Anthracene	0.017	mg/kg	0.4
	Benzo(a)anthracene	0.009	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.024	mg/kg	4.4
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.050	mg/kg	0.7
	Fluoranthene	0.049	mg/kg	0.8
	Chrysene	0.023	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.288	mg/kg	3.1
	Phenanthrene	0.269	mg/kg	0.9
	Pyrene	0.059	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.016	mg/kg	4.9
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
87	Anthraquinone	0.607	mg/kg	0.7
	Bisphenol A	8.740	mg/kg	6.7
	Bisphenol F	0.082	mg/kg	7.0
	Bisphenol S	0.606	mg/kg	10.0
	2-Isopropylthioxanthone	0.706	mg/kg	0.7
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.562	mg/kg	0.9
	Benzophenone	5.873	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.252	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.232	mg/kg	1.4
	Dibutyl phthalate	2.116	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	7.831	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	13.393	mg/kg	5.4
	Diethyl phthalate	0.467	mg/kg	0.9
	Diheptyl phthalate	0.006	mg/kg	2.5
	Diisobutyl phthalate	7.184	mg/kg	3.3
	Diisodecyl phthalate	2.291	mg/kg	5.5
	Diisononyl phthalate	4.129	mg/kg	8.0
	Dimethyl phthalate	0.144	mg/kg	1.6
	Dioctyl phthalate	0.287	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.013	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.014	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.068	mg/kg	1.1
	1-Methylfluorene	0.805	mg/kg	1.0
	1-Methylnaphthalene	0.028	mg/kg	1.9
	2,6-Diisopropylnaphthalene	2.519	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.045	mg/kg	1.9
	2,7-Diisopropylnaphthalene	2.347	mg/kg	1.6
	2-Methylantracene	0.118	mg/kg	0.8
	2-Methylnaphthalene	0.013	mg/kg	2.2
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.012	mg/kg	1.6
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.012	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(b)fluoranthene	0.032	mg/kg	0.7
	Benzo(ghi)perylene	0.080	mg/kg	7.5
	Benzo(k)fluoranthene	0.010	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.054	mg/kg	0.7
	Fluoranthene	0.042	mg/kg	0.9
	Chrysene	0.091	mg/kg	1.2
	Indeno(123-cd)pyrene	0.011	mg/kg	7.4
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.194	mg/kg	0.7
	Pyrene	0.120	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.026	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.248	mg/kg	0.7
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.016	mg/kg	0.7
	Benzophenone	0.399	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.378	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.424	mg/kg	5.0
	Diethyl phtalate	0.042	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.354	mg/kg	2.1
	Diisodecyl phthalate	0.283	mg/kg	7.3
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.013	mg/kg	1.7
	Dioctyl phthalate	0.089	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
88	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.027	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.097	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.077	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.010	mg/kg	1.6
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.006	mg/kg	0.6
	Chrysene	0.006	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.012	mg/kg	0.9
	Pyrene	0.006	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	13.853	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	27.237	mg/kg	8.1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	4.754	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	23.492	mg/kg	2.3
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.011	mg/kg	5.4
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	0.006	mg/kg	4.4
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.034	mg/kg	0.8
	Bisphenol A	0.121	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.499	mg/kg	0.7
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.039	mg/kg	0.8
	Benzophenone	0.291	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	1.8



Sample ID	Analyte	Value	Units	Uncertainty (± %)
89	2-Ethylhexyl-4-dimethylamino benzoate	0.006	mg/kg	1.4
	Dibutyl phthalate	1.188	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	0.678	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	2.207	mg/kg	5.6
	Diethyl phthalate	0.154	mg/kg	1.0
	Diheptyl phthalate	0.001	mg/kg	2.5
	Diisobutyl phthalate	1.214	mg/kg	3.5
	Diisodecyl phthalate	5.345	mg/kg	9.2
	Diisononyl phthalate	0.699	mg/kg	7.7
	Dimethyl phthalate	0.036	mg/kg	1.6
	Dioctyl phthalate	0.185	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.006	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.007	mg/kg	2.0
	1,6-Dimethylnaphthalene	0.028	mg/kg	1.7
	1-Methylfluorene	0.063	mg/kg	1.0
	1-Methylnaphthalene	0.059	mg/kg	1.9
	2,6-Diisopropylnaphthalene	0.267	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.024	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.195	mg/kg	1.4
	2-Methylantracene	0.023	mg/kg	0.5
	2-Methylnaphthalene	0.019	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.005	mg/kg	1.5
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.003	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.6
	Fluoranthene	0.020	mg/kg	0.7
	Chrysene	0.006	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.338	mg/kg	2.9
	Phenanthrene	0.079	mg/kg	0.9
	Pyrene	0.013	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.381	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.902	mg/kg	7.4
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.023	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	1.109	mg/kg	3.9
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.013	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
90	Anthraquinone	0.885	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.023	mg/kg	0.8
	Benzophenone	0.583	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.552	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.618	mg/kg	5.6
	Diethyl phthalate	0.062	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.975	mg/kg	3.1
	Diisodecyl phthalate	0.413	mg/kg	9.2
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.019	mg/kg	1.6
	Dioctyl phthalate	0.130	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.040	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.141	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.112	mg/kg	1.7
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	0.014	mg/kg	1.6
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.008	mg/kg	1.0
	Chrysene	0.009	mg/kg	1.0
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.018	mg/kg	0.9
	Pyrene	0.009	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.047	mg/kg	5.1

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.123	mg/kg	7.8
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.155	mg/kg	3.7
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.006	mg/kg	5.7
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
91	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.006	mg/kg	0.9
	Benzophenone	0.028	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.003	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.091	mg/kg	4.5
	Diethyl phthalate	0.024	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.365	mg/kg	3.6
	Diisodecyl phthalate	0.140	mg/kg	9.4
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.173	mg/kg	1.0
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.002	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.020	mg/kg	1.2
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.016	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.006	mg/kg	0.9
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	0.024	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.086	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.070	mg/kg	0.8
	Benzophenone	0.095	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	1.550	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.216	mg/kg	3.4
	Diethyl phthalate	0.315	mg/kg	0.7
	Diheptyl phthalate	0.002	mg/kg	1.4
	Diisobutyl phthalate	8.044	mg/kg	3.5
	Diisodecyl phthalate	0.327	mg/kg	9.2
	Diisononyl phthalate	0.739	mg/kg	8.4
	Dimethyl phthalate	0.083	mg/kg	1.4
	Dioctyl phthalate	0.015	mg/kg	4.6
	Dipentyl phthalate	0.004	mg/kg	1.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
92	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.005	mg/kg	1.8
	1-Methylfluorene	0.034	mg/kg	1.0
	1-Methylnaphthalene	0.019	mg/kg	2.0
	2,6-Diisopropylnaphthalene	0.131	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.004	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.089	mg/kg	1.7
	2-Methylantracene	0.025	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.007	mg/kg	0.5
	Fluoranthene	0.021	mg/kg	0.8
	Chrysene	0.006	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.096	mg/kg	0.7
	Pyrene	0.024	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.019	mg/kg	1.1
	4-Methylbenzophenone	0.011	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
93	Benzophenone	0.027	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.393	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.024	mg/kg	5.9
	Diethyl phthalate	0.053	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.248	mg/kg	3.5
	Diisodecyl phthalate	0.265	mg/kg	8.3
	Diisononyl phthalate	0.603	mg/kg	7.2
	Dimethyl phthalate	0.021	mg/kg	1.0
	Dioctyl phthalate	0.014	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.002	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.009	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.007	mg/kg	1.8
	2-Methylantracene	0.006	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.004	mg/kg	0.8
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	0.007	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.007	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.005	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
94	Anthraquinone	0.258	mg/kg	0.5
	Bisphenol A	2.520	mg/kg	5.8
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.098	mg/kg	0.9
	4-Isopropylthioxanthone	0.027	mg/kg	1.0
	4-Methylbenzophenone	0.233	mg/kg	0.9
	Benzophenone	1.766	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.029	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.010	mg/kg	0.9
	Dibutyl phthalate	24.847	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.414	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	12.017	mg/kg	4.5
	Diethyl phthalate	0.621	mg/kg	0.6
	Diheptyl phthalate	0.015	mg/kg	2.4
	Diisobutyl phthalate	22.655	mg/kg	2.7
	Diisodecyl phthalate	1.485	mg/kg	8.3
	Diisononyl phthalate	2.515	mg/kg	7.7
	Dimethyl phthalate	0.112	mg/kg	1.5
	Dioctyl phthalate	0.110	mg/kg	4.1
	Dipentyl phthalate	0.015	mg/kg	1.3
	1,2-Dimethylnaphthalene	0.003	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.005	mg/kg	2.2
	1,6-Dimethylnaphthalene	0.019	mg/kg	1.5
	1-Methylfluorene	1.102	mg/kg	1.1
	1-Methylnaphthalene	0.023	mg/kg	1.8
	2,6-Diisopropylnaphthalene	1.542	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.015	mg/kg	1.8
	2,7-Diisopropylnaphthalene	1.146	mg/kg	1.6
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.011	mg/kg	2.2
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.016	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.035	mg/kg	0.9
	Benzo(ghi)perylene	0.046	mg/kg	7.3
	Benzo(k)fluoranthene	0.014	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.010	mg/kg	0.5
	Fluoranthene	0.056	mg/kg	0.8
	Chrysene	0.039	mg/kg	1.0
	Indeno(123-cd)pyrene	0.022	mg/kg	7.4
	Naphthalene	0.033	mg/kg	3.0
	Phenanthrene	0.182	mg/kg	0.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Pyrene	0.048	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.055	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.129	mg/kg	8.1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.019	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.231	mg/kg	3.1
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.010	mg/kg	5.4
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.046	mg/kg	0.6
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.025	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.400	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	1.538	mg/kg	1.4
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.010	mg/kg	0.9
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	0.007	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
95	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.008	mg/kg	0.7
	Benzophenone	0.055	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.004	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.245	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.235	mg/kg	5.0
	Diethyl phthalate	0.034	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.494	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.038	mg/kg	1.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
96	Diethyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.011	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.040	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.003	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.027	mg/kg	1.4
	2-Methylantracene	0.008	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.008	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.007	mg/kg	4.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.466	mg/kg	0.7
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.456	mg/kg	0.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
97	4-Isopropylthioxanthone	0.099	mg/kg	1.1
	4-Methylbenzophenone	1.426	mg/kg	0.5
	Benzophenone	2.580	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.159	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	0.069	mg/kg	1.5
	Dibutyl phthalate	3.606	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	1.204	mg/kg	1.3
	Bis(2-ethylhexyl) phthalate	8.274	mg/kg	5.9
	Diethyl phthalate	0.473	mg/kg	0.6
	Diheptyl phthalate	0.028	mg/kg	2.4
	Diisobutyl phthalate	7.720	mg/kg	3.1
	Diisodecyl phthalate	2.676	mg/kg	9.6
	Diisononyl phthalate	10.722	mg/kg	8.2
	Dimethyl phthalate	0.388	mg/kg	1.6
	Dioctyl phthalate	0.331	mg/kg	5.3
	Dipentyl phthalate	0.018	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.011	mg/kg	1.5
	1-Methylfluorene	0.218	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.948	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.007	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.695	mg/kg	1.4
	2-Methylantracene	0.091	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.026	mg/kg	0.6
	Benzo(a)anthracene	0.037	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.022	mg/kg	1.2
	Benzo(ghi)perylene	0.021	mg/kg	7.5
	Benzo(k)fluoranthene	0.013	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.022	mg/kg	0.8
	Fluoranthene	0.115	mg/kg	1.0
	Chrysene	0.066	mg/kg	1.3
	Indeno(123-cd)pyrene	0.013	mg/kg	7.8
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.197	mg/kg	0.7
	Pyrene	0.117	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.009	mg/kg	3.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.194	mg/kg	4.0
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanoic acid	0.004	mg/kg	5.4
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
98	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.066	mg/kg	1.0
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.025	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.163	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.025	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.431	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.068	mg/kg	1.0
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.004	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.017	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.013	mg/kg	1.7
	2-Methylantracene	0.006	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.007	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.006	mg/kg	0.6
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	0.035	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.014	mg/kg	0.8
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.035	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	1.986	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.611	mg/kg	5.6
	Diethyl phtalate	0.119	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	28.672	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.169	mg/kg	1.6
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.021	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.192	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.152	mg/kg	1.8
	2-Methylantracene	0.008	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
99	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.534	mg/kg	0.5
	Bisphenol A	1.176	mg/kg	3.9
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.012	mg/kg	10.0
	2-Isopropylthioxanthone	0.331	mg/kg	0.9
	4-Isopropylthioxanthone	0.041	mg/kg	0.6
	4-Methylbenzophenone	0.407	mg/kg	0.9
	Benzophenone	1.328	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.221	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.083	mg/kg	1.4
	Dibutyl phthalate	1.317	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	1.045	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	2.228	mg/kg	5.6
	Diethyl phtalate	0.257	mg/kg	0.6
	Diheptyl phthalate	0.015	mg/kg	2.3
	Diisobutyl phthalate	1.252	mg/kg	2.7
	Diisodecyl phthalate	1.336	mg/kg	8.3

Sample ID	Analyte	Value	Units	Uncertainty (± %)
100	Diisononyl phthalate	2.348	mg/kg	8.4
	Dimethyl phthalate	0.072	mg/kg	1.5
	Dioctyl phthalate	0.143	mg/kg	4.9
	Dipentyl phthalate	0.012	mg/kg	1.0
	1,2-Dimethylnaphthalene	0.004	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.003	mg/kg	2.1
	1,6-Dimethylnaphthalene	0.016	mg/kg	1.1
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	1.123	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.009	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.866	mg/kg	1.1
	2-Methylantracene	0.049	mg/kg	0.7
	2-Methylnaphthalene	0.006	mg/kg	2.1
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.016	mg/kg	0.6
	Benzo(a)anthracene	0.005	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	1.1
	Benzo(ghi)perylene	0.014	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.028	mg/kg	0.8
	Fluoranthene	0.019	mg/kg	1.0
	Chrysene	0.014	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.124	mg/kg	0.9
	Pyrene	0.040	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.206	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	0.327	mg/kg	8.0
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	0.055	mg/kg	4.1
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.473	mg/kg	4.0
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.007	mg/kg	5.6
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.170	mg/kg	0.7
	Bisphenol A	16.941	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
101	Bisphenol S	0.434	mg/kg	10.3
	2-Isopropylthioxanthone	0.337	mg/kg	0.8
	4-Isopropylthioxanthone	0.074	mg/kg	1.0
	4-Methylbenzophenone	0.243	mg/kg	0.9
	Benzophenone	1.477	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.037	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.042	mg/kg	1.3
	Dibutyl phthalate	1.453	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	0.215	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	16.175	mg/kg	5.0
	Diethyl phthalate	0.569	mg/kg	0.9
	Diheptyl phthalate	0.019	mg/kg	2.2
	Diisobutyl phthalate	1.681	mg/kg	3.1
	Diisodecyl phthalate	3.112	mg/kg	9.2
	Diisononyl phthalate	8.345	mg/kg	8.2
	Dimethyl phthalate	0.072	mg/kg	1.7
	Dioctyl phthalate	0.395	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.007	mg/kg	1.9
	1-Methylfluorene	0.089	mg/kg	0.6
	1-Methylnaphthalene	0.004	mg/kg	2.0
	2,6-Diisopropylnaphthalene	1.037	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.005	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.783	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.007	mg/kg	0.7
	Benzo(a)anthracene	0.009	mg/kg	0.5
	Benzo(a)pyrene	0.007	mg/kg	1.6
	Benzo(b)fluoranthene	0.011	mg/kg	0.7
	Benzo(ghi)perylene	0.027	mg/kg	4.4
	Benzo(k)fluoranthene	0.004	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.010	mg/kg	0.5
	Fluoranthene	0.036	mg/kg	0.9
	Chrysene	0.028	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.135	mg/kg	0.7
	Pyrene	0.050	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.016	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
102	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	< LOQ	mg/kg	-
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.445	mg/kg	4.5
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.410	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.011	mg/kg	0.9
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.027	mg/kg	1.0
	4-Methylbenzophenone	0.016	mg/kg	0.7
	Benzophenone	0.089	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.007	mg/kg	1.4
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.822	mg/kg	5.0
	Diethyl phthalate	0.099	mg/kg	0.6
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	2.789	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.009	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.067	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.045	mg/kg	1.1

Sample ID	Analyte	Value	Units	Uncertainty (± %)
103	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.034	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.176	mg/kg	5.6
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
104	Diisobutyl phthalate	0.235	mg/kg	3.6
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.024	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.016	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
105	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.028	mg/kg	1.0
	4-Methylbenzophenone	0.016	mg/kg	0.9
	Benzophenone	0.092	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.007	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.007	mg/kg	1.5
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.841	mg/kg	5.0
	Diethyl phthalate	0.101	mg/kg	0.6
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	2.855	mg/kg	3.4
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.009	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.069	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.046	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
106	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.057	mg/kg	1.0
	4-Methylbenzophenone	0.187	mg/kg	0.5
	Benzophenone	1.137	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.028	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.032	mg/kg	0.9
	Dibutyl phthalate	1.118	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.165	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	12.452	mg/kg	4.5
	Diethyl phthalate	0.438	mg/kg	0.8
	Diheptyl phthalate	0.015	mg/kg	2.4
	Diisobutyl phthalate	1.294	mg/kg	2.1
	Diisodecyl phthalate	2.396	mg/kg	7.3
	Diisononyl phthalate	6.424	mg/kg	8.2
	Dimethyl phthalate	0.056	mg/kg	1.3
	Dioctyl phthalate	0.304	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.005	mg/kg	1.9
	1-Methylfluorene	0.069	mg/kg	0.6
	1-Methylnaphthalene	0.003	mg/kg	1.8
	2,6-Diisopropylnaphthalene	0.798	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.004	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.603	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.006	mg/kg	0.7
	Benzo(a)anthracene	0.007	mg/kg	0.5
	Benzo(a)pyrene	0.005	mg/kg	1.7
	Benzo(b)fluoranthene	0.009	mg/kg	0.7
	Benzo(ghi)perylene	0.021	mg/kg	7.5
	Benzo(k)fluoranthene	0.003	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Fluorene	0.008	mg/kg	0.8
	Fluoranthene	0.028	mg/kg	0.8
	Chrysene	0.022	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.104	mg/kg	0.5
	Pyrene	0.038	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.022	mg/kg	0.9
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.205	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	2.320	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	0.632	mg/kg	3.4
	Diethyl phthalate	0.138	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.248	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.005	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.029	mg/kg	1.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
107	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.018	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.038	mg/kg	0.8
	Benzophenone	0.200	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	1.091	mg/kg	4.5



Sample ID	Analyte	Value	Units	Uncertainty (± %)
108	Diethyl phthalate	0.710	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.599	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	1.015	mg/kg	7.7
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	0.032	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.012	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.145	mg/kg	1.2
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.094	mg/kg	1.4
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	0.009	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
109	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	< LOQ	mg/kg	-
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.178	mg/kg	5.4
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.031	mg/kg	1.2
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.022	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.006	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorobutanoic acid	0.007	mg/kg	3.4
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
110	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.038	mg/kg	0.8
	Benzophenone	17.910	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.008	mg/kg	1.2
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.364	mg/kg	5.0
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.211	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.007	mg/kg	1.8
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	0.012	mg/kg	1.6
	2,6-Diisopropylnaphthalene	0.027	mg/kg	1.4
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.016	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.021	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.192	mg/kg	5.4
	Diethyl phtalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
111	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	0.023	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.014	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.015	mg/kg	0.9
	Benzophenone	0.039	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	1.005	mg/kg	2.9

Sample ID	Analyte	Value	Units	Uncertainty (± %)
112	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.320	mg/kg	5.7
	Diethyl phtalate	0.085	mg/kg	0.8
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	1.981	mg/kg	3.4
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.006	mg/kg	0.6
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphtalene	0.079	mg/kg	0.9
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.058	mg/kg	1.6
	2-Methylantracene	0.007	mg/kg	0.5
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	0.007	mg/kg	1.1
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
113	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.008	mg/kg	0.9
	Benzophenone	0.021	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.507	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.222	mg/kg	5.0
	Diethyl phthalate	0.114	mg/kg	0.8
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.004	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.004	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.043	mg/kg	1.2
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.031	mg/kg	1.1
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.104	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
114	Anthraquinone	0.440	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.030	mg/kg	0.5
	Benzophenone	0.100	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.005	mg/kg	1.1
	Dibutyl phthalate	0.422	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.256	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	0.146	mg/kg	5.6
	Diethyl phthalate	0.145	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.718	mg/kg	3.3
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.011	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.044	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.032	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.009	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.013	mg/kg	0.9
	Chrysene	0.006	mg/kg	1.0
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.007	mg/kg	0.8
	Pyrene	0.033	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.113	mg/kg	0.5
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.014	mg/kg	0.5
	Benzophenone	0.206	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.258	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.265	mg/kg	5.0
	Diethyl phtalate	0.059	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	0.322	mg/kg	3.3
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.014	mg/kg	1.7
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
115	1,6-Dimethylnaphthalene	0.006	mg/kg	1.1
	1-Methylfluorene	0.021	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.027	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.004	mg/kg	2.0
	2,7-Diisopropylnaphthalene	0.017	mg/kg	1.6
	2-Methylantracene	0.027	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.005	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	1.1
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	0.004	mg/kg	0.8
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.006	mg/kg	0.8
	Fluoranthene	0.005	mg/kg	0.8
	Chrysene	0.019	mg/kg	1.0
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.038	mg/kg	0.5
	Pyrene	0.012	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.047	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.022	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
116	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.050	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.159	mg/kg	3.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.022	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.016	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
117	Anthraquinone	0.038	mg/kg	0.8
	Bisphenol A	0.052	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.155	mg/kg	0.9
	Benzophenone	0.893	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.021	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.003	mg/kg	0.9
	Dibutyl phthalate	1.243	mg/kg	2.9
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.364	mg/kg	5.9
	Diethyl phthalate	0.528	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	1.070	mg/kg	3.1
	Diisodecyl phthalate	0.232	mg/kg	7.3
	Diisononyl phthalate	0.425	mg/kg	8.2
	Dimethyl phthalate	0.065	mg/kg	1.5
	Dioctyl phthalate	0.014	mg/kg	4.9
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.010	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.003	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.048	mg/kg	1.8
	1-Methylfluorene	0.116	mg/kg	0.6
	1-Methylnaphthalene	0.030	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.152	mg/kg	0.9
	2,6-Dimethylnaphthalene	0.033	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.113	mg/kg	1.4
	2-Methylantracene	0.183	mg/kg	0.8
	2-Methylnaphthalene	0.045	mg/kg	2.2
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.024	mg/kg	0.6
	Benzo(a)anthracene	0.005	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.003	mg/kg	0.9
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	0.003	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.031	mg/kg	0.5
	Fluoranthene	0.028	mg/kg	1.0
	Chrysene	0.020	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	0.047	mg/kg	2.8
	Phenanthrene	0.408	mg/kg	0.7
	Pyrene	0.017	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.024	mg/kg	5.8
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
118	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.096	mg/kg	0.8
	Benzophenone	0.151	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	0.191	mg/kg	1.1
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.176	mg/kg	0.9
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.077	mg/kg	3.3
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.011	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.102	mg/kg	1.5
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.069	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.006	mg/kg	0.6
	Fluoranthene	0.002	mg/kg	0.6
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.203	mg/kg	0.8
	Bisphenol A	10.945	mg/kg	5.8
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	1.667	mg/kg	6.0
	2-Isopropylthioxanthone	0.192	mg/kg	0.9
	4-Isopropylthioxanthone	0.032	mg/kg	0.6
	4-Methylbenzophenone	0.574	mg/kg	0.5
	Benzophenone	2.139	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.598	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.848	mg/kg	1.4
	Dibutyl phthalate	1.157	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	9.939	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	1.494	mg/kg	5.9
	Diethyl phthalate	0.736	mg/kg	0.9
	Diheptyl phthalate	0.008	mg/kg	2.3
	Diisobutyl phthalate	1.401	mg/kg	3.4
	Diisodecyl phthalate	1.329	mg/kg	8.8
	Diisononyl phthalate	1.673	mg/kg	6.4
	Dimethyl phthalate	0.090	mg/kg	1.6
	Dioctyl phthalate	0.106	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
119	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.5
	1-Methylfluorene	0.372	mg/kg	0.9
	1-Methylnaphthalene	0.008	mg/kg	2.0
	2,6-Diisopropylnaphthalene	1.247	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.006	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.978	mg/kg	1.7
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.006	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.003	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.004	mg/kg	1.2
	Benzo(ghi)perylene	0.011	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.015	mg/kg	0.7
	Fluoranthene	0.015	mg/kg	1.0
	Chrysene	0.009	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.053	mg/kg	0.8
	Pyrene	0.021	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.174	mg/kg	0.8
	Bisphenol A	3.385	mg/kg	6.2
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.178	mg/kg	6.0
	2-Isopropylthioxanthone	0.163	mg/kg	0.7
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.497	mg/kg	0.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
120	Benzophenone	1.729	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.540	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	0.743	mg/kg	1.5
	Dibutyl phthalate	1.013	mg/kg	3.7
	Bis(2-ethylhexyl) adipate	18.788	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	3.145	mg/kg	3.4
	Diethyl phthalate	0.646	mg/kg	0.6
	Diheptyl phthalate	0.006	mg/kg	2.4
	Diisobutyl phthalate	1.245	mg/kg	3.5
	Diisodecyl phthalate	1.185	mg/kg	9.2
	Diisononyl phthalate	4.229	mg/kg	6.4
	Dimethyl phthalate	0.079	mg/kg	1.4
	Dioctyl phthalate	0.094	mg/kg	4.6
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.009	mg/kg	1.8
	1-Methylfluorene	0.325	mg/kg	1.0
	1-Methylnaphthalene	0.007	mg/kg	2.1
	2,6-Diisopropylnaphthalene	1.508	mg/kg	1.6
	2,6-Dimethylnaphthalene	0.006	mg/kg	2.0
	2,7-Diisopropylnaphthalene	1.110	mg/kg	1.7
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.005	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.002	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.003	mg/kg	1.1
	Benzo(ghi)perylene	0.010	mg/kg	7.6
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.013	mg/kg	0.8
	Fluoranthene	0.013	mg/kg	0.9
	Chrysene	0.008	mg/kg	0.8
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.046	mg/kg	0.7
	Pyrene	0.018	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.004	mg/kg	5.2
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	0.072	mg/kg	3.5
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.033	mg/kg	5.7
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	0.014	mg/kg	8.2



Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
121	Anthraquinone	0.229	mg/kg	0.8
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	2.378	mg/kg	0.5
	Benzophenone	0.091	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.309	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.430	mg/kg	5.4
	Diethyl phthalate	0.046	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.832	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	0.302	mg/kg	8.2
	Dimethyl phthalate	0.016	mg/kg	1.6
	Dioctyl phthalate	0.015	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	0.013	mg/kg	0.9
	1-Methylnaphthalene	0.021	mg/kg	1.2
	2,6-Diisopropylnaphthalene	0.072	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.050	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.005	mg/kg	0.6
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	0.010	mg/kg	0.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.144	mg/kg	0.6
	Bisphenol A	0.217	mg/kg	5.1
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	1.471	mg/kg	0.8
	Benzophenone	0.081	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	0.348	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.134	mg/kg	3.4
	Diethyl phthalate	0.054	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.881	mg/kg	2.1
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.011	mg/kg	1.4
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.003	mg/kg	1.1
	1-Methylfluorene	0.009	mg/kg	0.9
	1-Methylnaphthalene	0.018	mg/kg	1.2
	2,6-Diisopropylnaphthalene	0.043	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.003	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.032	mg/kg	1.6
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
122	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	0.004	mg/kg	0.7
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.015	mg/kg	0.7
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	0.627	mg/kg	0.8
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.067	mg/kg	0.8
	Benzophenone	0.066	mg/kg	1.0
	Ethyl-4-dimethylamino benzoate	0.003	mg/kg	1.9
	2-Ethylhexyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	Dibutyl phthalate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) adipate	2.686	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.168	mg/kg	1.0
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	< LOQ	mg/kg	-
	Diisodecyl phthalate	0.102	mg/kg	5.5
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
123	Dioctyl phthalate	0.008	mg/kg	5.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.003	mg/kg	1.7
	1-Methylfluorene	0.023	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.152	mg/kg	1.6
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.107	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.005	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.014	mg/kg	0.8
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	0.004	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	0.005	mg/kg	4.1
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.003	mg/kg	5.4
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.219	mg/kg	0.5
	Bisphenol A	8.355	mg/kg	6.7
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.571	mg/kg	10.3
	2-Isopropylthioxanthone	0.164	mg/kg	0.5

Sample ID	Analyte	Value	Units	Uncertainty (± %)
124	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.919	mg/kg	0.7
	Benzophenone	1.175	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.050	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.230	mg/kg	1.4
	Dibutyl phthalate	2.425	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	0.822	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	0.337	mg/kg	3.4
	Diethyl phthalate	0.912	mg/kg	0.8
	Diheptyl phthalate	0.071	mg/kg	1.9
	Diisobutyl phthalate	2.915	mg/kg	3.1
	Diisodecyl phthalate	1.708	mg/kg	8.8
	Diisononyl phthalate	4.491	mg/kg	7.7
	Dimethyl phthalate	0.189	mg/kg	1.0
	Dioctyl phthalate	0.256	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.006	mg/kg	1.5
	1-Methylfluorene	0.318	mg/kg	0.9
	1-Methylnaphthalene	0.005	mg/kg	1.8
	2,6-Diisopropylnaphthalene	1.118	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.004	mg/kg	1.8
	2,7-Diisopropylnaphthalene	1.057	mg/kg	1.7
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.005	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.2
	Benzo(ghi)perylene	0.017	mg/kg	7.0
	Benzo(k)fluoranthene	0.003	mg/kg	0.7
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.010	mg/kg	0.6
	Fluoranthene	0.019	mg/kg	0.8
	Chrysene	0.013	mg/kg	1.3
	Indeno(123-cd)pyrene	0.004	mg/kg	7.8
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.058	mg/kg	0.9
	Pyrene	0.023	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.005	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorohexanoic acid	0.004	mg/kg	3.3
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
125	Anthraquinone	0.274	mg/kg	0.8
	Bisphenol A	4.383	mg/kg	3.9
	Bisphenol F	0.070	mg/kg	10.5
	Bisphenol S	0.361	mg/kg	10.5
	2-Isopropylthioxanthone	0.271	mg/kg	0.5
	4-Isopropylthioxanthone	0.042	mg/kg	0.8
	4-Methylbenzophenone	0.214	mg/kg	0.8
	Benzophenone	6.879	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.054	mg/kg	1.8
	2-Ethylhexyl-4-dimethylamino benzoate	0.046	mg/kg	1.5
	Dibutyl phthalate	1.937	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	1.114	mg/kg	2.0
	Bis(2-ethylhexyl) phthalate	7.788	mg/kg	5.6
	Diethyl phthalate	0.364	mg/kg	1.0
	Diheptyl phthalate	0.013	mg/kg	2.2
	Diisobutyl phthalate	6.075	mg/kg	3.5
	Diisodecyl phthalate	0.939	mg/kg	8.3
	Diisononyl phthalate	3.626	mg/kg	7.7
	Dimethyl phthalate	0.120	mg/kg	1.3
	Dioctyl phthalate	0.115	mg/kg	4.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.100	mg/kg	1.6
	1,4-Dimethylnaphthalene	0.075	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.369	mg/kg	1.8
	1-Methylfluorene	0.260	mg/kg	0.8
	1-Methylnaphthalene	0.160	mg/kg	1.9
	2,6-Diisopropylnaphthalene	0.723	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.244	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.351	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.188	mg/kg	2.3
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	0.014	mg/kg	1.3
	Acenaphthylene	0.031	mg/kg	1.0
	Anthracene	0.038	mg/kg	0.7
	Benzo(a)anthracene	0.008	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.009	mg/kg	1.1
	Benzo(ghi)perylene	0.019	mg/kg	6.5
	Benzo(k)fluoranthene	0.003	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.342	mg/kg	0.8
	Fluoranthene	0.037	mg/kg	0.9
	Chrysene	0.027	mg/kg	1.2
	Indeno(123-cd)pyrene	0.005	mg/kg	6.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Naphtalene	0.278	mg/kg	3.1
	Phenanthrene	0.381	mg/kg	0.8
	Pyrene	0.056	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.015	mg/kg	0.8
	Bisphenol A	0.057	mg/kg	6.6
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.104	mg/kg	0.8
	Benzophenone	0.150	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	0.006	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.002	mg/kg	1.5
	Dibutyl phthalate	0.586	mg/kg	3.6
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.232	mg/kg	3.4
	Diethyl phtalate	0.213	mg/kg	0.7
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phtalate	1.223	mg/kg	3.3
	Diisodecyl phthalate	0.142	mg/kg	8.3
	Diisononyl phthalate	0.141	mg/kg	8.2
	Dimethyl phthalate	0.009	mg/kg	1.3
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.003	mg/kg	1.9
	1-Methylfluorene	0.016	mg/kg	1.0
	1-Methylnaphthalene	0.024	mg/kg	1.8
	2,6-Diisopropylnaphthalene	0.088	mg/kg	1.4
	2,6-Dimethylnaphthalene	0.002	mg/kg	1.5
	2,7-Diisopropylnaphthalene	0.054	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
126	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.003	mg/kg	0.3
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.009	mg/kg	0.6
	Fluoranthene	0.012	mg/kg	0.6
	Chrysene	0.006	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.037	mg/kg	0.5
	Pyrene	0.008	mg/kg	1.0
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.005	mg/kg	5.1
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	0.023	mg/kg	5.1
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.147	mg/kg	0.5
	Bisphenol A	2.900	mg/kg	6.7
	Bisphenol F	0.039	mg/kg	7.0
	Bisphenol S	3.030	mg/kg	8.0
	2-Isopropylthioxanthone	0.340	mg/kg	0.9
	4-Isopropylthioxanthone	0.053	mg/kg	0.9
	4-Methylbenzophenone	0.269	mg/kg	0.7
	Benzophenone	8.640	mg/kg	0.8
	Ethyl-4-dimethylamino benzoate	0.067	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.058	mg/kg	1.5
	Dibutyl phthalate	2.433	mg/kg	3.4
	Bis(2-ethylhexyl) adipate	1.399	mg/kg	1.7
	Bis(2-ethylhexyl) phthalate	9.782	mg/kg	3.4
	Diethyl phtalate	0.457	mg/kg	0.7
	Diheptyl phthalate	0.017	mg/kg	2.3
	Diisobutyl phthalate	7.630	mg/kg	3.5
	Diisodecyl phthalate	1.180	mg/kg	9.4



Sample ID	Analyte	Value	Units	Uncertainty (± %)
127	Diisononyl phthalate	4.554	mg/kg	8.2
	Dimethyl phthalate	0.151	mg/kg	1.5
	Dioctyl phthalate	0.145	mg/kg	3.1
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	0.125	mg/kg	1.5
	1,4-Dimethylnaphthalene	0.095	mg/kg	1.7
	1,6-Dimethylnaphthalene	0.463	mg/kg	1.8
	1-Methylfluorene	0.326	mg/kg	1.1
	1-Methylnaphthalene	0.201	mg/kg	2.1
	2,6-Diisopropylnaphthalene	0.908	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.307	mg/kg	1.2
	2,7-Diisopropylnaphthalene	0.441	mg/kg	1.8
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	0.236	mg/kg	2.2
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	0.018	mg/kg	1.3
	Acenaphthylene	0.039	mg/kg	1.4
	Anthracene	0.048	mg/kg	0.6
	Benzo(a)anthracene	0.010	mg/kg	0.5
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.1
	Benzo(ghi)perylene	0.024	mg/kg	6.5
	Benzo(k)fluoranthene	0.004	mg/kg	0.9
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.430	mg/kg	0.5
	Fluoranthene	0.047	mg/kg	1.0
	Chrysene	0.034	mg/kg	1.3
	Indeno(123-cd)pyrene	0.007	mg/kg	7.4
	Naphtalene	0.349	mg/kg	3.1
	Phenanthrene	0.478	mg/kg	0.9
	Pyrene	0.071	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.001	mg/kg	5.2
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.016	mg/kg	0.8
	Bisphenol A	11.767	mg/kg	6.7
	Bisphenol F	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
128	Bisphenol S	0.004	mg/kg	8.0
	2-Isopropylthioxanthone	0.234	mg/kg	0.8
	4-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Methylbenzophenone	0.577	mg/kg	0.8
	Benzophenone	368.966	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.030	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	53.462	mg/kg	1.5
	Dibutyl phthalate	0.226	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.422	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	0.276	mg/kg	5.0
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-
	Diisobutyl phthalate	0.612	mg/kg	3.4
	Diisodecyl phthalate	1.996	mg/kg	5.5
	Diisononyl phthalate	1.909	mg/kg	4.8
	Dimethyl phthalate	0.011	mg/kg	1.7
	Dioctyl phthalate	0.089	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.004	mg/kg	1.9
	1-Methylfluorene	0.035	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	0.003	mg/kg	1.7
	2,7-Diisopropylnaphthalene	0.252	mg/kg	1.8
	2-Methylantracene	0.011	mg/kg	0.9
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	0.026	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.034	mg/kg	0.8
	Fluoranthene	0.004	mg/kg	0.7
	Chrysene	0.025	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.015	mg/kg	0.7
	Pyrene	0.006	mg/kg	0.9
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.006	mg/kg	4.9
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
129	Anthraquinone	0.337	mg/kg	0.8
	Bisphenol A	7.720	mg/kg	6.2
	Bisphenol F	0.040	mg/kg	9.3
	Bisphenol S	0.511	mg/kg	8.0
	2-Isopropylthioxanthone	0.446	mg/kg	0.8
	4-Isopropylthioxanthone	0.072	mg/kg	1.0
	4-Methylbenzophenone	1.156	mg/kg	0.8
	Benzophenone	11.470	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.250	mg/kg	1.6
	2-Ethylhexyl-4-dimethylamino benzoate	1.296	mg/kg	1.4
	Dibutyl phthalate	1.196	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	2.035	mg/kg	2.3
	Bis(2-ethylhexyl) phthalate	5.068	mg/kg	3.4
	Diethyl phthalate	0.504	mg/kg	0.8
	Diheptyl phthalate	0.025	mg/kg	2.1
	Diisobutyl phthalate	1.169	mg/kg	3.6
	Diisodecyl phthalate	3.161	mg/kg	9.4
	Diisononyl phthalate	6.641	mg/kg	6.4
	Dimethyl phthalate	0.213	mg/kg	1.7
	Dioctyl phthalate	0.323	mg/kg	4.6
	Dipentyl phthalate	0.010	mg/kg	0.8
	1,2-Dimethylnaphthalene	0.006	mg/kg	1.7
	1,4-Dimethylnaphthalene	0.007	mg/kg	1.3
	1,6-Dimethylnaphthalene	0.031	mg/kg	1.5
	1-Methylfluorene	0.107	mg/kg	1.0
	1-Methylnaphthalene	0.013	mg/kg	1.9
	2,6-Diisopropylnaphthalene	0.959	mg/kg	1.5
	2,6-Dimethylnaphthalene	0.019	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.759	mg/kg	1.6
	2-Methylantracene	0.079	mg/kg	0.7
	2-Methylnaphthalene	0.012	mg/kg	2.4
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.022	mg/kg	0.6
	Benzo(a)anthracene	0.009	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.007	mg/kg	1.1
	Benzo(ghi)perylene	0.036	mg/kg	7.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.046	mg/kg	0.7
	Fluoranthene	0.035	mg/kg	1.0

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Chrysene	0.043	mg/kg	0.8
	Indeno(123-cd)pyrene	0.006	mg/kg	4.5
	Naphtalene	0.030	mg/kg	1.8
	Phenanthrene	0.236	mg/kg	0.5
	Pyrene	0.071	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.007	mg/kg	4.6
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	0.002	mg/kg	5.6
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	0.392	mg/kg	0.8
	Bisphenol A	6.863	mg/kg	6.4
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.216	mg/kg	9.0
	2-Isopropylthioxanthone	0.078	mg/kg	0.8
	4-Isopropylthioxanthone	0.019	mg/kg	0.8
	4-Methylbenzophenone	0.206	mg/kg	0.9
	Benzophenone	0.206	mg/kg	0.9
	Ethyl-4-dimethylamino benzoate	0.029	mg/kg	2.0
	2-Ethylhexyl-4-dimethylamino benzoate	0.011	mg/kg	0.9
	Dibutyl phthalate	1.618	mg/kg	2.2
	Bis(2-ethylhexyl) adipate	0.213	mg/kg	2.1
	Bis(2-ethylhexyl) phthalate	< LOQ	mg/kg	-
	Diethyl phthalate	0.169	mg/kg	0.9
	Diheptyl phthalate	0.008	mg/kg	2.4
	Diisobutyl phthalate	1.612	mg/kg	2.7
	Diisodecyl phthalate	1.182	mg/kg	9.2
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	0.087	mg/kg	1.5
	Dioctyl phthalate	0.121	mg/kg	5.2
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.006	mg/kg	1.7
	1-Methylfluorene	0.048	mg/kg	0.9
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.503	mg/kg	1.2
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	0.544	mg/kg	1.8

Sample ID	Analyte	Value	Units	Uncertainty (± %)
130	2-Methylantracene	0.026	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	0.010	mg/kg	7.5
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.008	mg/kg	0.5
	Fluoranthene	0.023	mg/kg	0.9
	Chrysene	0.010	mg/kg	1.2
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.066	mg/kg	0.5
	Pyrene	0.023	mg/kg	0.7
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	< LOQ	mg/kg	-
	Bisphenol A	< LOQ	mg/kg	-
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	< LOQ	mg/kg	-
	2-Isopropylthioxanthone	< LOQ	mg/kg	-
	4-Isopropylthioxanthone	0.017	mg/kg	0.6
	4-Methylbenzophenone	< LOQ	mg/kg	-
	Benzophenone	0.302	mg/kg	0.6
	Ethyl-4-dimethylamino benzoate	< LOQ	mg/kg	-
	2-Ethylhexyl-4-dimethylamino benzoate	0.012	mg/kg	1.5
	Dibutyl phthalate	0.529	mg/kg	3.2
	Bis(2-ethylhexyl) adipate	< LOQ	mg/kg	-
	Bis(2-ethylhexyl) phthalate	0.728	mg/kg	4.5
	Diethyl phthalate	< LOQ	mg/kg	-
	Diheptyl phthalate	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
131	Diisobutyl phthalate	1.555	mg/kg	2.7
	Diisodecyl phthalate	< LOQ	mg/kg	-
	Diisononyl phthalate	< LOQ	mg/kg	-
	Dimethyl phthalate	< LOQ	mg/kg	-
	Dioctyl phthalate	< LOQ	mg/kg	-
	Dipentyl phthalate	< LOQ	mg/kg	-
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	1-Methylfluorene	< LOQ	mg/kg	-
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2,6-Dimethylnaphthalene	< LOQ	mg/kg	-
	2,7-Diisopropylnaphthalene	< LOQ	mg/kg	-
	2-Methylantracene	< LOQ	mg/kg	-
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	< LOQ	mg/kg	-
	Benzo(a)anthracene	< LOQ	mg/kg	-
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	< LOQ	mg/kg	-
	Benzo(ghi)perylene	< LOQ	mg/kg	-
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	< LOQ	mg/kg	-
	Fluoranthene	< LOQ	mg/kg	-
	Chrysene	< LOQ	mg/kg	-
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphthalene	< LOQ	mg/kg	-
	Phenanthrene	< LOQ	mg/kg	-
	Pyrene	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluorooctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-
	Anthraquinone	1.383	mg/kg	0.7

Sample ID	Analyte	Value	Units	Uncertainty (± %)
132	Bisphenol A	7.424	mg/kg	6.7
	Bisphenol F	< LOQ	mg/kg	-
	Bisphenol S	0.315	mg/kg	10.3
	2-Isopropylthioxanthone	0.624	mg/kg	0.9
	4-Isopropylthioxanthone	0.024	mg/kg	1.0
	4-Methylbenzophenone	0.330	mg/kg	0.8
	Benzophenone	23.437	mg/kg	0.7
	Ethyl-4-dimethylamino benzoate	0.085	mg/kg	2.1
	2-Ethylhexyl-4-dimethylamino benzoate	0.178	mg/kg	1.5
	Dibutyl phthalate	2.485	mg/kg	3.8
	Bis(2-ethylhexyl) adipate	0.483	mg/kg	2.2
	Bis(2-ethylhexyl) phthalate	17.118	mg/kg	4.5
	Diethyl phthalate	0.414	mg/kg	0.7
	Diheptyl phthalate	0.015	mg/kg	1.9
	Diisobutyl phthalate	2.508	mg/kg	2.7
	Diisodecyl phthalate	7.258	mg/kg	9.2
	Diisononyl phthalate	25.057	mg/kg	4.8
	Dimethyl phthalate	0.140	mg/kg	1.6
	Dioctyl phthalate	0.541	mg/kg	5.2
	Dipentyl phthalate	0.005	mg/kg	1.3
	1,2-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,4-Dimethylnaphthalene	< LOQ	mg/kg	-
	1,6-Dimethylnaphthalene	0.006	mg/kg	1.8
	1-Methylfluorene	0.112	mg/kg	1.0
	1-Methylnaphthalene	< LOQ	mg/kg	-
	2,6-Diisopropylnaphthalene	0.945	mg/kg	1.2
	2,6-Dimethylnaphthalene	0.005	mg/kg	1.8
	2,7-Diisopropylnaphthalene	0.602	mg/kg	1.8
	2-Methylantracene	0.043	mg/kg	0.8
	2-Methylnaphthalene	< LOQ	mg/kg	-
	9-Methylantracene	< LOQ	mg/kg	-
	Acenaphthene	< LOQ	mg/kg	-
	Acenaphthylene	< LOQ	mg/kg	-
	Anthracene	0.007	mg/kg	0.7
	Benzo(a)anthracene	0.011	mg/kg	0.6
	Benzo(a)pyrene	< LOQ	mg/kg	-
	Benzo(b)fluoranthene	0.012	mg/kg	1.2
	Benzo(ghi)perylene	0.019	mg/kg	7.0
	Benzo(k)fluoranthene	< LOQ	mg/kg	-
	Dibenzo(ah)anthracene	< LOQ	mg/kg	-
	Fluorene	0.010	mg/kg	0.7
	Fluoranthene	0.038	mg/kg	0.8
	Chrysene	0.035	mg/kg	1.3
	Indeno(123-cd)pyrene	< LOQ	mg/kg	-
	Naphtalene	< LOQ	mg/kg	-
	Phenanthrene	0.082	mg/kg	0.5
	Pyrene	0.051	mg/kg	1.1
	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	0.015	mg/kg	5.3
	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	< LOQ	mg/kg	-
	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	< LOQ	mg/kg	-
	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	< LOQ	mg/kg	-
	Perfluoroctylsulfonamide	< LOQ	mg/kg	-
	Perfluorobutanoic acid	< LOQ	mg/kg	-
	Perfluorobutanesulfonic acid	< LOQ	mg/kg	-

Sample ID	Analyte	Value	Units	Uncertainty (± %)
	Perfluorodecanoic acid	< LOQ	mg/kg	-
	Perfluorododecanoic acid	< LOQ	mg/kg	-
	Perfluorodecanephosphonic acid	< LOQ	mg/kg	-
	Perfluoroheptanoic acid	< LOQ	mg/kg	-
	Perfluorohexanoic acid	< LOQ	mg/kg	-
	Perfluorohexanephosphonic acid	< LOQ	mg/kg	-
	Perfluorohexanesulphonic acid	< LOQ	mg/kg	-
	Perfluorononanoic acid	< LOQ	mg/kg	-
	Perfluorooctanoic acid	< LOQ	mg/kg	-
	Perfluorooctanephosphonic acid	< LOQ	mg/kg	-
	Perfluorooctanesulphonic acid	< LOQ	mg/kg	-
	Perfluoropentanoic acid	< LOQ	mg/kg	-
	Perfluoroundecanoic acid	< LOQ	mg/kg	-